
Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLESALE

PRICE LIST

> SPRING 1936

THE WESTMINSTER NURSERY Westminster, Maryland

Bird's IMPROVED Flower Pots



RED POTS for shipping, etc. GREEN POTS for growing.

si	ize				F	rices Red	per 1000 Black
2	in.	(1000	per	carton)		\$3.65	\$5.45
$2\frac{1}{4}$	in.	(1000	per	carton)		3.80	5.70
$2^{1}2$	in.	(1000	per	carton)		4.10	6.30
3	in.	(1000	per	carton)		5.10	7.10
3!2	in.	(1000	per	carton)		6.60	9.10
4	in.	(500	per	carton)		8.00	10.55
5	in.	(500	per	carton)		10.50	14.80
в	in.	(500	per	carton)		14.00	20.00

All prices f. o. b. E. Walpole, Mass. Can quote you f. o. b. Westminster. Special discount for quantity orders. Less 5 per cent Cash with Order. Orders filled in carton lots only.

The Westminster Nursery

Westminster, Maryland

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	31x36"
4' 6'	1.00	1.00	1.25	1.50	1.75	2.00	2.50
8'	1.25	1.50	1.75	2.00	2.50	2.75	3.25
10' 12'	}	2.50	2.75 3.25	3.25	3.50 4.00	4.00 5.00	4.50 5.50
14'	<u> </u>	1				-	6.00

5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate

Terms and Conditions of Sale

This List Cancels All Previous Quotations

IMPORTANT—Five percent (5%) discount for cash with order before March 15th, 1936; 2% after March 15th, 1936.

VERY IMPORTANT—Orders are always individually filled with fresh dug stock. Our customers appreciate the fact that we do not ship them stock that has dried out in the storage house.

PRICES—All prices quoted herein are f. o. b. our nursery, packing at cost. We will accept orders 5 of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1000 rate. Please use printed stationery or enclose business card when ordering. No orders accepted for less than \$1.00. Prices subject to change without notice. Orders booked subject to prior sale.

PACKING—All boxing, crating or baling is charged at actual cost. We allow an attractive discount when cash accompanies order and considering the low prices we have made in this list, we ask you to please include sufficient extra amount to cover packing cost. Our packing charges are nominal and we refund any amount above actual cost. Or, if preferred, we can bill you for the packing charge which, of course, is higher on certain bulky items such as Privet, Balled and Burlapped Evergreens, etc. No charge will be necessitated where stock is to be placed on cars or trucks in bulk.

PAYMENT—Payment shall be defined as payment by cash or current check. Invoices covering stock shipped in late Fall or Winter months for Spring use may be dated not later than April 1st.

TERMS—The usual terms are offered to those of established credit or whose responsibility is known to us. Cash, security or satisfactory references required from unknown parties. All invoices are payable 2%—10 days, 1%—30 days, or 60 days net.

INTEREST—Interest at the rate of 6% per annum shall be charged on accounts from maturity.

CONSIGNMENT—No stock will be sold directly or indirectly on consignment.

SHIPPING—Customers are required to give definite instructions in regard to manner of shipping that they desire. We ship by express and freight over the Western Maryland Railway which connects with the Pennsylvania and B. & O. Railroads and steamship lines in Baltimore. The White Transportation Co. and the Tidewater Bus Line also give motor truck service direct from the nursery.

AUTO TRUCK DELIVERY—We make deliveries by truck within 100 miles of our nurseries; our charges for this service are very moderate. Delivery by truck is very satisfactory and often eliminates packing charges and insures quick delivery after plants are dug.

INSPECTION—A Certificate of Inspection accompanies each shipment.

GUARANTY—We give no guaranty, expressed or implied, as to description, quality, productiveness or any other matter of any nursery stock or bulbs we sell, and we will not be in any way responsible for the crop. All agreements and contracts are made subject to crop losses through unavoidable causes.

crop losses through unavoidable causes.

CLAIMS—Claims for any cause must be made promptly. Any stock that is not exactly as represented must be reported within five days after receipt of the goods.

SPECIAL SELECTION—Additional charge is made when customer tags or selects extra specimen plant material.

LOCATION—We are located 28 miles Northwest of Baltimore, Md., and 22 miles south of Gettysburg, Pa. We invite you to visit our nursery.

Respectfully yours,

THE WESTMINSTER NURSERY.

Est. 1893. Telephone "Westminster 222".

Westminster, Maryland, January 27, 1936.

Members of the American Association of Nurserymen, the Eastern Association of Nurserymen and the Maryland Association of Nurserymen.

For your convenience we have inserted the approximate growing height at maturity after each variety name.

General Index

See Common Name Index on Back Cover.

P	age
EVERGREENS	3
BROADLEAVED EVERGREENS	9
DECIDUOUS and FLOWERING TREES	12
NUT TREES	18
DECIDUOUS SHRUBS	18
ROSES	28
VINES	29
PERENNIALS and ROCK PLANTS	31
FRUIT TREES	58
SMALL FRUITS	59
LINING OUT STOCK	60

Evergreens

All of our evergreens are nursery grown, sheared, two or three times transplanted, well developed and well shaped. Evergreens are balled and burlapped (B&B) at prices named.

CHAMA:	ECY	YPAI	RIS	(Reti	inosno	ra s	and C	lynress'	\
OHIMIN.				(I,C o	mospe	i F	Each	Per 10	Per 100
C. laws	soni	iana	(La	wson	Cypr	ess)	100'		
					•••••			5.00	45.00
2½ t								6.50	57.50
	to 4							9.00	$80.00 \\ 115.00$
	to 5 to 6							$12.50 \\ 17.50$	150.00
	to 7				• • • • • • • • • • • • • • • • • • • •			27.50	250.00
	to 8							32.50	300.00
C. laws	ani								
18	t.o.	24	in.	m (D	au	ОУ	1.08	9.00	
$\overset{10}{2}$	to							11.50	
$\overline{2}\frac{1}{2}$	to	3						15.00	
3	to	$3\frac{1}{2}$	ft.				2.10	17.50	
$3\frac{1}{2}$	to	4	ft.			- 	2.40	20.00	
C. obtu	ısa	(Hine	oki (Cypre	ss) 25	5'-35'	•		
					· · · · · · · · · · · · · · · · · · ·			15.00	
								25.00	
C obta	ısa	crinr	nsi (Crini	n's Go	lden	Cvn	ress) 8	′-10′
12 to		in)	Oripi	, s ac		.60	5.00	45.00
15 to								7.50	65.00
18 to								10.00	90.00
2 to	2	2½ ft					1.80	15.00	•••••
C. obta	ısa	graci	ilis	(Slen	der H	inok	i Cvr	ress) 1	2'-15'
								6.50	
					•••••			7.50	•••••
18 to	24	in.					1 50	12.50	
			• • • • • • •				1.90	12.00	• • • • • • • • • • • • • • • • • • • •
C. obta								_	s) 3'-5'
C. obtu	ısa	grac	ilis	comp	acta ((Foo	tball	_	s) 3'-5'
10 to	ısa 12	grac in	ilis	comp	acta ((Foo	tball .55	Cypres 4.50	s) 3'-5'
10 to C. pisi	ısa 12 fera	grac in (Sa	ilis ar	comp a Re	acta ((Foo oora)	tball .55 25'-	Cypres 4.50 35'	••••
10 to C. pisi: 18	ısa 12 fera to	grac in (Sa 24	ilis war in	comp a Re	acta ((Foo ora)	tball .55 25'- .48	Cypres 4.50 35' 4.00	35.00
10 to C. pisi 18 2	isa 12 fera to to	grac in (Sa 24	ilis war in	comp a Re	acta ((Foo oora) 	.55 .25'- .48 .60	Cypres 4.50 35' 4.00 5.00	35.00 45.00
10 to C. pisi: 18	isa 12 fera to to	grac in (Sa 24 2½ 3	ilis war in ft	comp a Re	acta ((Foo oora) 	tball .55 .25'- .48 .60 .85	Cypres 4.50 35' 4.00	35.00 45.00 60.00 80.00
10 to C. pisi: 18 2 2½ 3 4	isa 12 fera to to to to	graciin 1 (Sa 24 2½ 3 4 5	war in ft ft ft	comp	acta ((Foo	tball .55 .25'- .48 .60 .85 1.08 1.50	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50	35.00 45.00 60.00
10 to C. pisi: 18 2 2½ 3 4	isa 12 fera to to to	graciin (Sa 24 2½ 1 3 4 5 6	war in ft ft ft	comp	tinosp	(Foo	tball .55 .25'- .48 .60 .85 1.08 1.50 2.10	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50	35.00 45.00 60.00 80.00
10 to C. pisi: 18 2 2½ 3 4	isa 12 fera to to to to	graciin 1 (Sa 24 2½ 3 4 5	war in ft ft ft	comp	acta ((Foo	tball .55 .25'- .48 .60 .85 1.08 1.50 2.10	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50	35.00 45.00 60.00 80.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi:	sa fera to to to to to to	grac in (Sa 24 2½ 1 3 4 5 6 7	war in ft ft ft ft	comp	acta ((Foo	tball .55 .25'- .48 .60 .85 1.08 1.50 2.10 3.00	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi:	sa fera to to to to to to	grac in 1 (Sa 24 2½ 1 3 4 5 6 7	war in ft ft ft ft ft	comp a Re	acta ((Foo	tball .55 .25'- .48 .60 .85 1.08 1.50 2.10 3.00	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25' 18	sa fera to to to to to to	graciin	war in ft ft ft ft ft ft ft	comp	tinosp	(Foo	tball .55 .25'- .48 .60 .85 1.08 1.50 2.10 3.00 .4 Ret .48	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00	35.00 45.00 60.00 80.00 115.00 a)
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½	isa 12 fera to	graciin	war in ft ft ft ft ft ft ft ft	comp	tinosp	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 Ret .48 .60 .85	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00	35.00 45.00 60.00 80.00 115.00 a) 35.00 45.00 60.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3	isa 12 fera to	grace in 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4	ilis war in ft	comp a Re	tinosp	(Foo	tball .55 25'48 .60 .85 1.08 2.10 3.00 Ret .48 .60 .85 1.08	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospors 4.00 7.00 9.00	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4	fera to	grace in 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4 5	war in ft ft ft ft ft ft ft ft	comp	tinosp	(Foo	tball .55 25'48 .60 .85 1.08 2.10 3.00 Ret .48 .60 .85 1.08 1.50	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospors 4.00 7.00 9.00 12.50	35.00 45.00 60.00 80.00 115.00 a) 35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5	fera to	grace in 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4 5 6	war in ft ft ft ft ft ft ft ft ft	comp	tinosp	(Foo	tball .55 .25'48 .60 .85 1.50 2.10 3.00 Ret .48 .60 .85 1.50 2.10 2.10	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 7.00 9.00 12.50 17.50	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6	fera to	graciin 1 (Sa 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4 5 6 7	ilis	comp a Re	tinosp	(Foo	tball .55 .25'- .48 .60 .85 1.50 2.10 3.00 .85 1.08 1.50 2.10 2.10 3.00	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi:	fera to	graciin 1 (Sa 24 2½ 3 4 5 6 7 24 2½ 3 4 5 6 7	ilis war in ft	Golde	tinosp	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 Ret .48 .60 .85 1.08 1.50 2.10 3.00 nospo	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 7.00 9.00 12.50 17.50 25.00 ra) 25'-	35.00 45.00 60.00 80.00 115.00 a) 35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15	fera to	graciin 1 (Sa 24 2½ 3 4 5 6 7 4 2½ 3 4 5 6 7 1 plut 18	ilis war in ft	Golde	tinosp	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 .85 1.08 1.50 2.10 3.00 .85 1.30 .38	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 3.00	35.00 45.00 60.00 80.00 115.00 a) 35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15 18	fera to	graciin	ilis war in ft	Golde	tinosp	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 .85 1.08 1.50 2.10 3.00 .38 .48	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 and 25' 3.00 4.00	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15 18 2	fera to	grace in	ilis war in ft	Golde	tinosp tinosp en Sa	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 .85 1.08 1.50 2.10 3.00 .38 .48 .60	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 4.00 5.00	35.00 45.00 60.00 80.00 115.00 a) 35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15 18 2 2½	fera to	grace in 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4 5 6 7 aur 18 24 2½ 3	war in ft	Golde	tinosp en Sa	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 1.85 1.50 2.10 3.00 3.85 .48 .60 .85	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 4.00 5.00 7.00	35.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15 18 2	fera to	grace in	war in ft	Golde	tinosp en Sa	(Foo	tball .55 .25'48 .60 .85 1.08 1.50 2.10 3.00 1.85 1.08 1.50 2.10 3.00 .38 .48 .60 .85 1.08	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 4.00 5.00 7.00 9.00	35.00 45.00 60.00 80.00 115.00 45.00 60.00 80.00 115.00
10 to C. pisi: 18 2 2½ 3 4 5 6 C. pisi: 25 18 2 2½ 3 4 5 6 C. pisi: 15 18 2 2½ 3	fera to	grace in 24 2½ 1 3 4 5 6 7 aur 24 2½ 3 4 5 6 7 aur 18 24 2½ 3	war in ft	Golde	tinosp en Sa	(Foo	tball .55 .25'48 .60 .85 1.50 2.10 3.00 .85 1.50 2.10 3.00 .38 .48 .60 .85 1.08 1.50 1.08 1.50	Cypres 4.50 35' 4.00 5.00 7.00 9.00 12.50 17.50 25.00 inospor: 4.00 5.00 7.00 9.00 12.50 17.50 25.00 4.00 5.00 7.00	35.00 45.00 60.00 80.00 115.00

	Eo ah	Dan 10	Dom 100
C. pisifera plumosa aurea (Gold			Per 100
spora) 25'-35'	enpiui	ne net	1110-
15 to 18 in	38	3.00	25.00
18 to 24 in		4.00	35.00
2 to $2\frac{1}{2}$ ft		5.00	
$2\frac{1}{2}$ to 3 ft		7.00	60.00
3 to 4 ft	. 1.08	9.00	80.00
C. pisifera squarrosa veitchi (V	aitch's	Mace	Rating-
spora) 25'-30'	ercen s	MUSS	10001110-
15 to 18 in	48	4.00	35.00
18 to 24 in		6.00	50.00
2 to $2\frac{1}{2}$ ft		7.50	65.00
2½ to 3 ft		10.00	90.00
3 to 4 ft	. 1.80	15.00	***********
JUNIPERUS (Juniper)			
J. chinensis (Chinese Juniper) 1	5'-20'		
2 to 2½ ft		11.00	100.00
$2\frac{1}{2}$ to 3 ft		15.00	125.00
3 to 4 ft	2.10	17.50	150.00
J. chinensis columnaris (pyrami	daliel	(Colu	mnar
Chinese Juniper) 15'-20'	uaiis)	(Colu	mmaı
2½ to 3 ft	1.20	10.00	90.00
3 to 4 ft		15.00	
4 to 5 ft	2.40	20.00	175.00
5 to 6 ft	3.30	27.50	250.00
J. chinensis columnaris viridis (C	Ymaan (Calumn	
Chinese Juniper) 20'-25'	areen '	Column	
12 to 15 in	.72	6.00	
15 to 18 in.		10.00	*********
			.,
J. chinensis pfitzeriana (Pfitzer	Junip	er) 5'-6	
15 to 18 in spread	.48	4.00	35.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.12	6.00	$50.00 \\ 70.00$
2½ to 3 ft spread	1 20	10.00	
$2\frac{1}{2}$ to 3 ft. spread	1.80	15.00	125.00
		10.00	120.00
J. chinensis sargenti (Sargent) 1	1/2'	10.00	10000
15 to 18 in. spread	1.45	12.00	100.00
J. communis aurea (Golden Pros	trate o	r Gold	en
Canada Juniper) 2'-3'			
12 to 15 in. spread	.48	4.00	••••••
15 to 18 in. spread	.60	5.00	•••••
18 to 24 in. spread	.72	6.00	•••••
2 to 2½ ft. spread	.98	8.00	•
2½ to 3 ft. spread	1.20	10.00	•••••
J. communis depressa (Prostrate	or Ca	nada T	uninar)
2'-3'	or Ca	naua o	umper)
12 to 15 in. spread	.48	4.00	
15 to 18 in. spread	.60	5.00	
18 to 24 in. spread	.72	6.00	
2 to $2\frac{1}{2}$ ft. spread	.98	8.00	
$2\frac{1}{2}$ to 3 ft. spread	1.20	10.00	
T communic demands of the contract of	A)		D1.
J. communis depressa plumosa	(Andol	rra or	rurple
Plumed Spreading Juniper) 15 to 18 in. spread) ~4 ΛΩ	1 00	35.00
18 to 24 in. spread	.40		50.00
2 to 2½ ft. spread	.98	8.00	70.00
2 to 2½ ft. spread	1.20	10.00	90.00
3 to 3½ ft. spread	1.80	15.00	125.00
# = - · · · · · · · · · · · · · · · · · ·	•		

								Each	Per 10	Per 100
J.	. com	mu	nis h	iber	nica	(Ir	ish Ju	niper)	10'-15	•
	15	to	18	in.				.42	3.50	27.50
	18	to	24						4.50	40.00
	2	to	$2\frac{1}{2}$						5.00	45.00
	$2\frac{1}{2}$	to	3						6.00	50.00
	3	to							7.00	60.00
	4	to		ft.				1.20	10.00	90.00
	5	to	6						15.00	
	6	to	$\ddot{7}$						22.50	
	_									***************************************
J.	. com	mu	nis o							
	15		18						5.00	45.00
	18	to	24						6.00	50.00
	2	to							9.00	80.00
	$2\frac{1}{2}$	to	3	ft				1.35	11.00	100.00
т		1	- 4 2 -		/ Cl :		Y1 '	r	> 1/ 0	
J.	exce			ta	(S pi	ny (reek .	unipe	er) 4'-6'	40.00
	10		12						4.50	40.00
	12		15						6.00	50.00
	15		18				•••••		8.00	••••••
	18		24						10.00	••••••
	2		$2\frac{1}{2}$				······		12.50	••••••
	$2\frac{1}{2}$	to	3						17.50	••••••
	3	to	4	ft				3.00	25.00	
т	hori	77 A 34	tolic	10		ina	Juniper	a) 1' () <i>'</i>	
J.	12		15	(01	qoo	mg e	umpei	60	5.50	47.50
	15			in.	spr	eau		00	$\begin{array}{c} 5.50 \\ 6.50 \end{array}$	55.00
			18							
	18		24	111.	spr	ead	· · · · · · · · · · · · · · · · · · ·	1.00	8.00	70.00
	2	to	$2\frac{1}{2}$	It.	spr	eaa		1.20	10.00	90.00
т	hori	70H	talic	ala	1100	(Bl	10 Cro	oning	Savin)	1'-2'
J	18									1 -2
	2			£‡.	spi	eau		2.40	$\begin{array}{c} 15.00 \\ 20.00 \end{array}$	
	4	w	4 /2	10.	spr	eau	• • • • • • • • • • • • • • • • • • • •	2.40	20.00	•••••
J	iano	nic	a (Ja	nar	1686	Jun	iper)	6'-8'		
	12		15						4.00	
	15		18						5.00	45.00
							• • • • • • • • • • • • • • • • • • •		7.50	65.00
	10	U	24	111.	spr	cau	· · · · · · · · · · · · · · · · · · ·		1.00	00.00
J.	sabi	na	(Sav	in J	้ากกำ	er)	6'-7'			
	1 5	4 -	10	•		1		.48	4.00	35.00
	18	to	24	in.	spr	cau aad	••••••	79	6.00 8.00 10.00	50.00
	9	to	91/2	ft.	spr	cau aad	• • • • • • • • • • • • • • • • • • • •	08	8 AA	70.00
	21/ ₂	to	2 /2	ft.	spr	cau		1 20	10.00	90.00
	$\frac{2}{3}$	to	ე 21%	ft.	spr	eau	······	1.20	15.00	125.00
	J	w	0 /2	10.	spr	cau	••••••	1.00	19.00	120.00
J.	sabi	na	tama	risc	ifoli	а (Т	'amari	x Sav	in Juni	p e r)
	172	2'-2	•		,			1 00	0.00	
	12 to	15	3 in. :	spr	ead	• • • • • • • • • • • • • • • • • • • •	•••••	1.08	9.00 12.50	
	18 to	24	l in.	spr	ead	•••••		1.50	12.50	••••••
•			/ 6	4		· /13		· · · · · · · · ·	0	01.001
J.	spna	eri	ca (I	orti	inei,) (F	ortune	s Jun	uper) z	0'-30'
	2	to	$\frac{2}{2}$	it	• • • • • • •	• • • • • • • • •	•••••	1.80	15.00	•••••
	$\frac{2}{2}$	to	3	it	• • • • • • • • • • • • • • • • • • • •	•••••	•••••••••••••••••••••••••••••••••••••••	2.10	17.50	•••••••
	3	to	4	it		• • • • • • • • •		2.40	20.00	•
т	Sano	222 0	to m	03701	.: /1	Marra	T.,,,;	non	D' 1'	
J.	5qua 10 +-	, 1112 T	iva III 5 :	eyei	rı (1	weye	r Juni	per)	ნ VV ე - 4	50.00
							· · · · · · · · · · · · · · · · · · ·			
										70.00
	TQ C) 2	4 in	••••	• • • • • • •			1.90	12.50	115.00
T	virgi	ini.	ma l'	D^3	00da	פ ויי	0'_50'			
J.							U - 0U	1 50	12.50	
							•••••			200.00
	o to	I	Ü	•••••	• • • • • •	•••••		4.20	35.00	325.00

	T7 - 1 '	D 10 3	D 100
J. virginiana burki (Burk's Red		Per 10]	Per 100
2 to 2½ ft	. 1.45	12.00	•••••
$2\frac{1}{2}$ to 3 ft		15.00	125.00
3 to 4 ft		17.50	150.00
4 to 5 ft 5 to 6 ft		$22.50 \\ 32.50$	200.00 300.00
		_	
J. virginiana cannarti (Cannart 2½ to 3 ft	Redce	dar) 12 15.00	-15' 125.00
3 to 4 ft		20.00	120.00
4 to 5 ft		27.50	
J. virginiana glauca (Silver Rec	deadar'	15'-20	,
18 to 24 in	1.08	9.00	80.00
2 to 2½ ft		10.00	90.00
$2\frac{1}{2}$ to 3 ft		13.50	•••••
		17.50	
J. virginiana keteleeri (Keteleer	Redce	dar) 15 7.50	
15 to 18 in 18 to 24 in		12.50	
2 to 2½ ft		17.50	*********
2½ to 3 ft		22.50	•••••
3 to 4 ft		30.00	••••••
4 to 5 ft		40.00	•••••
J. virginiana kosteri (Koster R			
15 to 18 in. spread		$\begin{array}{c} 16.50 \\ 20.00 \end{array}$	••••••
-			
J. virginiana schotti (Schott Re 2 to 2½ ft		12.00	100.00
2½ to 3 ft		15.00 15.00	125.00
3 to 4 ft		20.00	175.00
4 to 5 ft	9 00	25 00	
4 00 0 10,	3.00	25.00	•
	3.00	20.00	•••••
PICEA (Spruce)			
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60'	ta or I	Black H	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.6 8	Black H 14.00	
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.6 8 2.22	Black H	ills
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'	Black H 14.00 18.50	ills
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'42	Black H 14.00 18.50	ills 30.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'4255	3.50 4.50	30.00 40.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20	3.50 4.50 6.00 10.00	ills 30.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68	3.50 4.50 6.00 14.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40	3.50 4.50 6.00 14.00 20.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60	3.50 4.50 6.00 14.00 20.00 30.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50	3.50 4.50 6.00 14.00 20.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50	3.50 4.50 6.00 14.00 20.00 42.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'-	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20 ne) 3'-	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20 ne) 3'48	3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00	30.00 40.00 50.00 90.00 80' 150.00 200.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20 ne) 3'486090	3lack H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 22.50 27.50 35.00 4.00 7.50	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.20 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20 ne) 3'486090 1.45	3lack H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 4.00 7.50 12.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.10 2.70 3.30 4.20 ne) 3'486090 1.45 1.92	3lack H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 22.50 27.50 35.00 4.00 7.50 12.00 16.00	30.00 40.00 50.00 90.00
PICEA (Spruce) P. canadensis albertiana (Albert Spruce) 50'-60' 2½ to 3 ft	ta or I 1.68 2.22 -100'425572 1.68 2.40 3.60 5.08 6.50 10.20 e Spru 2.70 3.30 4.20 ne) 3'486090 1.45 1.92 2.70	3lack H 14.00 18.50 3.50 4.50 6.00 10.00 14.00 20.00 30.00 42.50 65.00 85.00 ce) 60'- 17.50 22.50 27.50 35.00 4.00 7.50 12.00	30.00 40.00 50.00 90.00

			
	Each	Per 10	Per 100
P. nigra (Austrian Pine) 60'-70'	co	F 00	45.00
15 to 18 in 18 to 24 in	$.60 \\ .72$	5.00 6.00	45.00 50.00
2 to 2½ ft	.90	7.50	65.00
2½ to 3 ft		8.50	75.00
3 to 4 ft		12.50	115.00
4 to 5 ft		15.00	125.00
5 to 6 ft		25.00	225.00
6 to 7 ft	4.20	35.00	•••••
P. resinosa (Red Pine) 60'-70'			
15 to 18 in	.38	3.00	27.50
18 to 24 in	.42	3.50	••••••
P. sylvestris (Scotch Pine) 30'-40) ′		
15 to 18 in	.35	2.75	25.00
18 to 24 in	.42	3.50	30.00
2 to 2½ ft	.85	7.00	••••••
2½ to 3 ft	.98	8.00	
5 to 6 ft 6 to 8 ft		27.50	250.00
		40.00	•
RETINOSPORA—See Chamaecypan	ris		
THUJA (Arborvitae)			- •
T. occidentalis (American Arbor			
18 to 24 in	.38	3.00	25.00
2 to 2½ ft	.48	4.00	35.00
2½ to 3 ft 3 to 4 ft	.68	$5.50 \\ 6.50$	47.50 55.00
3 to 4 ft 4 to 5 ft	.78 1.20	10.00	90.00
5 to 6 ft		15.00	125.00
6 to 7 ft		35.00	120.00
7 to 8 ft		40.00	
8 to 10 ft		50.00	
T. occidentalis compacta (Parson	ns A	rborvit	ae) 3'-5'
12 to 15 in	.42	3.50	30.00
15 to 18 in	.55	4.50	40.00
18 to 24 in	—	6.00	50.00
2 to 2½ ft		8.50	75.00
$2\frac{1}{2}$ to 3 ft	1.20	10.00	••••••
T. occidentalis ellwangeriana (Te	om '	Thumb	Arbor-
vitae) 4'-5' 15 to 18 in	.48	4.00	35.00
18 to 24 in	.68	5.50	45.00
2 to 2½ ft	.85	7.00	60.00
2½ to 3 ft		10.00	90.00
T. occidentalis globosa (Globe Ar	borv	itae) 3'	-4'
9 to 12 in	.38	3.00	25.00
12 to 15 in	.42	3.50	30.00
15 to 18 in	.55	4.50	40.00
18 to 24 in	.72	6.00	50.00
2 to 2½ ft	.9 8	8.00	•
T. occidentalis hoveyi (Hovey Ar			
12 to 15 in		3.50	30.00
15 to 18 in 18 to 24 in	.55	$4.50 \\ 6.00$	40.00 50.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.72 .98	8.00	70.00
2½ to 3 ft	1.20	10.00	70.00
3 to 3 ½ft		12.50	
T. occidentalis Little Gem (Little			orvitae)
1½'-2'			,
6 to 8 in	.55	4.50	
8 to 10 in	.72	6.00	•••••

F	Cach	Per 10	Per 100
T. occidentalis lutea (George Pe	abod	y Arbo	rvitae)
10'-15'		•	
	.60	5.00	45.00
18 to 24 in		7.50	65.00
2 to 2½ in		10.00	
2½ to 3 ft		13.50	**********
	1.02	10.00	********
T. occidentalis "Oval Top" 6'-8'			
15 to 18 in	.72	6.00	*******
18 to 24 in		9.00	
T occidentalis pyramidalis (Pyra	amida	ıl Arbo	rvitae)
15'-30'			
18 to 24 in	.42	3.50	30.00
2 to 2½ ft		4.50	40.00
2½ to 3 ft	.72	6.00	50.00
3 to 4 ft		7.50	65.00
4 to 5 ft	1.20	10.00	90.00
5 to 6 ft	1.50	12.50	115.00
6 to 7 ft	3.00	25.00	225.00
7 to 8 ft	3.60	30.00	250.00
8 to 9 ft	6.00	50.00	
9 to 10 ft		70.00	

T. occidentalis reidi (Reid Arbory	ritae)	4'-5'	
15 to 18 in	.60	5.00	45.00
18 to 24 in	.72	6.00	50.00
2 to $2\frac{1}{2}$ ft	1.08	9.00	80.00
$2\frac{1}{2}$ to 3 ft	1.50	12.50	100.00
•			~
T. occidentalis umbraculifera (U	mbre	lla or (Jushion
Arborvitae) 3'-4'			
15 to 18 in		5.00	
18 to 24 in	.72	6.00	
(C)	A1.		10/ 15/
T. occidentalis wareana (Siberian			
15 to 18 in		3.00	
18 to 24 in		4.50	40.00
2 to 2½ ft	.72	6.00	50.00
2½ to 3 ft	1.02	8.50	•••••
3 to 4 ft		12.50	•••••
4 to 5 ft		22.50	•••••
5 to 6 ft	3.90	32.50	•••••
T. occidentalis wareana aurea (പ്പു	n Sihor	rion or
Goldspot Arborvitae) 12'-15'	Gorde	n binei	lan Ur
	55	4.50	40.00
2 to 2½ ft		6.00	•••••
2½ to 3 ft		9.00	•••••
3 to 3½ ft	1.05	12.50	•••••
T. occidentalis woodwardi (Wood	ward	Arhory	itae) 3'
10 to 12 in			25.00
12 to 15 in		3.50	30.00
T. orientalis aurea (Golden Orie	ntal .	Arborvi	tae)
15'-25'			
18 to 24 in		4.00	35.00
2 to $2\frac{1}{2}$ ft	.60	5.00	45.00
2½ to 3 ft	.68	5.50	50.00
		Coldon	Anhon
T. orientalis aurea nana (Berckm	lan's	Gorden	Arbor-
vitae) 3'-5' 9 to 12 in	40	9 50	20.00
		3.50	30.00
12 to 15 in		5.00	45.00
15 to 18 in		6.00	50.00
18 to 21 in		9.00	80.00
21 to 24 in		11.00	100.00
2 to 2½ ft	1.68	14.00	********

E	ach P	er 10 P	er 100
T. orientalis elegantissima (Yello vitae) 7'-10'	w Co		
18 to 24 in 2 to 2½ ft		5.00	45.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		7.50 10.00	65.00 90.00
$\frac{2}{3}$ to $\frac{3}{2}$ ft			115.00
5 to 6 ft		27.50	
6 to 7 ft		35.00	
TSUGA canadensis (Canada Hemloc	k) 75′	-90′	
18 to 24 in	.90	7.50	
2 to 2½ ft		12.50	•••••
2½ to 3 ft		17.50 20.00	••
5 10 4 16	2.4 0	20.00	
Broadleaved Eve	ergi	reen	ıs
Including Shrubs, Vines and (Groun	d-cover	S
ABELIA grandiflora (Glossy Abeli			
4'-6'	а, Б	isii Ai	Dutus
15 to 18 in. B&B		2.50	20.00
	.42	3.50	30.00
2 to 3 ft. B&B	.55	4.50	40.00
AZALEAS			
Amoena. Rosy purple. 3'-4' 4 to 6 in. B&B	.38	3.00	25.00
6 to 8 in. B&B	.48	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$	25.00 35.00
8 to 10 in. B&B	.60	5.00	45.00
10 to 12 in. B&B	.90	7.50	65.00
Apple Blossom. Pale pink. 3'-4'			
4 to 6 in. B&B	.48	4.00	30.00
6 to 8 in. B&B	.60	5.00	40.00
8 to 10 in. B&B	.72	6.00	50.00
Christmas Cheer (Kurume). Brig	ht red	l. 3'-4'	
4 to 6 in. B&B	.60	5.00	40.00
6 to 8 in. B&B 8 to 10 in. B&B		6.00 8.00	50.00 70.00
	.30	0.00	70.00
Coral Bells. Shell Pink. 3'-4'	40	4.00	20.00
2 to 4 in. B&B 4 to 6 in. B&B	.48 .60	$\begin{array}{c} \textbf{4.00} \\ \textbf{5.00} \end{array}$	30.00 40.00
6 to 8 in. B&B	.72	6.00	50.00
Flame (Kurume). Brilliant coppe	or rod	. 3'-4'	
4 to 6 in. B&B		4.00	30.00
6 to 8 in. B&B		5.00	40.00
Hinamoyo (Kurume). Clear pink	. 3'-	4'	
4 to 6 in. B&B	.48	4.00	30.00
6 to 8 in. B&B	.60	5.00	40.00
Hinodegiri (Kurume). Brilliant	scarle	t. 3'-4	,
2 to 4 in. B&B	.38	3.00	25.00
4 to 6 in. B&B		4.00	30.00
6 to 8 in. B&B 8 to 10 in. B&B		$\begin{array}{c} 5.00 \\ 6.00 \end{array}$	40.00 50.00
	,,	3.00	J. 0.00
Indica alba. Single white. 3'-4' 6 to 8 in. B&B	.72	6.00	50.00
8 to 10 in. B&B	.98	8.00	70.00
10 to 12 in. B&B	1.20	10.00	90.00
12 to 15 in. B&B	1.45	12.00	
15 to 18 in. B&B	2.10	17.50	150. 00

_			
Ear	ch	Per 10	Per 100
Japonica. Single lavender. 3'-4' 8 to 10 in. B&B 1.	20	10.00	90.00
10 to 12 in. B&B 1.			
12 to 15 in. B&B 1.	68	14.00	
Ledifolia alba. Single white. 3'-4'	, _	10.00	400.00
12 to 15 in. B&B 1.			
15 to 18 in. B&B 1.	80.	14.00	120.00
Macrantha (Indica). Red salmon.	3′-	4'	
4 to 6 in. B&B	.38	3.00	25.00
6 to 8 in. B&B	48	4.00	30.00
3.6 33° /TZ \ T		1 0/	47
Maxwelli (Kurume). Large carmin 8 to 10 in. B&B	1e-r	ed. 37	-4" 00 00
10 to 19 in R&R	45	12.00	90.00
12 to 15 in R&B	68	14.00	120.00
10 to 12 in. B&B	10	17.50	150.00
Morning Glow. Rose pink. 3'-4'	•		25.00
2 to 4 in. B&B	38		
	48 60	4.00 5.00	
6 to 6 in. b&b	OU	3.00	40.00
Peach Blossom. Dark pink. 3'-4'			
	48	4.00	30.00
	60	5.00	40.00
D 1 D1 - 77 - 1 - 1 1 0/ 4/			
Peach Blow. Very pale pink. 3'-4'	40	4.00	20.00
2 to 4 in. B&B	48 60	$4.00 \\ 5.00$	
4 to 6 m. b@b	UU	9.00	40.00
Pink Beauty. Lovely pink. 3'-4'			
Pink Beauty. Lovely pink. 3'-4' 4 to 6 in. B&B	85	7.00	60.00
	98	8.00	70.00
Diala Danii (Wasana) - Galasan asan	12		
Pink Pearl (Kurume). Salmon-rose center. 3'-4'	, 11	gnter 1	n
	48	4.00	30.00
6 to 8 in. B&B	60	5.00	40.00
	98	8.00	70.00
		_	
Yayegiri (Kurume). Salmon-red.	3′-4		00.00
4 to 6 in. B&B		4.00	30.00
6 to 8 in. B&B	OU	5.00	40.00
DEDDEDIG /P !			
BERBERIS (Barberry)			
B julianae (Wintergreen Barberry)	5'-	6 ′	
10 to 12 in. B&B	45	3.75	*********
12 to 15 in. B&B		4.25	•••••
15 to 18 in. B&B		6.25	•••••
18 to 24 in. B&B 1.	08	9.00	•••••
B. verruculosa (Warty Barberry) 3'	-4'		
12 to 15 in. B&B	7 5	6.25	•••••
15 to 18 in. B&B 1.	15	$\boldsymbol{9.50}$	
BUXUS (Boxwood)			
, , , , , , , , , , , , , , , , , , ,			7.
B. sempervirens (Common Bush For	rm	Boxwo	od)
10'-12' 10 to 12 in. B&B	42	3.50	30.00
12 to 15 in. B&B		$\begin{array}{c} 3.50 \\ 4.50 \end{array}$	40.00
15 to 18 in. B&B		6.00	50.00
18 to 24 in. B&B 1.2		10.00	90.00

WESTMINSTER, MIRETERIA		
Food	Don 10	Per 100
B. sempervirens suffruticosa (Truedw		
Boxwood) 5'-8' 6 to 8 in. from field B&B25		8
6 to 8 in. from field B&B25		18.00
8 to 10 in. from field B&B42		30.00
10 to 12 in. from field B&B85	7.00	60.00
See also page 62.		
COTONEASTER		
C. divaricata (Spreading Cotoneaster)) 5'-6'	
2 to 3 ft. B&B	7.00	•••••
3 to 4 ft. B&B 1.20	10.00	•
C. francheti (Franchet Cotoneaster)	5'-7'	
15 to 18 in. B&B	4.00	
18 to 24 in. B&B		
C. horizontalis (Rock Cotoneaster) 2'		
15 to 18 in., 5 in. pots		
18 to 24 in., 6 in. pots	5.50	••
C. microphylla (Rockspray Cotoneast	er) 2'-	21/2′
15 to 18 in., 5 in. pots		_ ,2
18 to 24 in., 6 in. pots		
C. simonsi (Simons Cotoneaster) 5'-6		
12 to 18 in. B&B	3.50	
18 to 24 in. B&B	5.50 8.00	
2 to 272 ft, D&D	0.00	••••••
DAPHNE cneorum (Rose Daphne) 1'		
9 to 12 in. spread	6.00	
12 to 15 in. spread		
15 to 18 in. spread 1.35		
•		
EUONYMUS		
E. japonicus (Evergreen Burningbush	12'-1	5′
8 to 12 in. B&B		
12 to 18 in. B&B	4.50	•
18 to 24 in. B&B	5.50	
D in a contract (Cilcums	- L D	•
E. japonicus albovariegatus (Silversp bush) 12'-15'	ot Bur	ning-
10 to 12 in. B&B	4 00	
12 to 15 in. B&B		
		•••••
E. radicans (Wintercreeper) 12'-16'	0.50	00.00
12 to 15 in. B&B		
19 to 16 III, D&D	5.00	25.00
E. radicans acutus (Sharpleaf Winte	rcreepe	r) 6'-12'
12 to 15 in. 3 yr. B&B	2.50	••••••
E. radicans coloratus (Redleaved Wi	ntercre	eper)
6'-10'		5P01)
12 to 15 in. 3 yr. B&B		
15 to 18 in. 3 yr. B&B	3.00	
E. radicans vegetus (Bigleaf Winter	creener) 12'-15'
12 to 15 in. B&B	3.00	25.00
15 to 18 in. B&B	3.50	30.00
12 to 15 in. B&B	4.00	35.00
ILEX crenata microphylla (Littleleaf J	apanes	e Holly)
6'-8'		
6 in. pots	4.50	••••••

		D 40	D - 100
			Per 100
LEUCOTHOE catesbaei (Drooping	Leuc	otnoe	3 -4
15 to 18 in. B&B	1 00	0.00	
18 to 24 ln. B&B	1.00	3.00	•••••••
LIGUSTRUM lucidum (Glossy Eve	ergre	en Priv	ret)
15 to 18 in. B&B	.72	6.00	50.00
18 to 24 in. B&B		7.50	65.00
LONICERA nitida (Japanese Priver	t Hor	eysuck	le) 3'-4'
12 to 15 in B&B	.60	5.00	••••••
15 to 18 in. B&B	.78	6.50	•••••
18 to 24 in. B&B		12.50	•••••
2 to 2½ ft. B&B	1.75	••••••	••••••
MAHONIA aquifolium (Oregon Ho	ollygi	cape) 4	'-5'
15 to 18 in. B&B	.60	5.00	•••••••
18 to 24 in. B&B	.78	6.50	••••••
	Par	Par	Per
Each	10	100	1000
PACHYSANDRA terminalis (Japan			
Strong 2¼ in. pot plants .12	1.00	8.00	75.00
zorong 2/1 nm pot promos via			
PIERIS	Each	Per 10	Per 100
P. floribunda (Mountain Androme	(she	4'-5'	
12 to 15 in. B&B			
15 to 18 in. B&B			
		1000	••••••
P. japonica (Japanese Andromed	a) 5'-	-6'	
12 to 15 in. B&B	1.02	8.50	•••••
15 to 18 in. B&B	1.45	12.00	•••••
PYRACANTHA coccinea lalandi (I	Lalan	d Firet	horn)
18 to 24 in. B&B., or 7 in. pots	1.35	11.00	
2 to 3 ft. B&B		15.00	***********
3 to 4 ft. B&B		20.00	
VINCA (Periwinkle or Myrtle)			
V. minor (Common Periwinkle of	• M37	rtla) 6'	′_8″
2 yr. No. 1			
•	_		
RHODODENDRON			

KHODODENDKON

Varieties, sizes and prices on application.

Deciduous and Flowering Trees

Prices quoted on Deciduous and Flowering Trees are for trees dug with bare roots except as noted. Additional charge made to ball and burlap deciduous trees.

ACER (Maple)

(maple)		Per 10	Per 100
A. dasycarpum (Silver Maple) 6 to 8 ft	42	3.50	30.00
8 to 10 ft., 1 to 1½ in. cal 10 to 12 ft., 1½ to 2 in. cal		5.00 7.00	45.00 60.00

	To ah	Per 10	Dan 100
A. negundo (Box Elder or Ash-le			
6 to 8 ft	.40	3.25	00-10
8 to 10 ft., 1 to 1¼ in. cal	.60	5.00	••••••••
8 to 10 ft., 1½ to 1½ in. cal	.75	6.25	•••••
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	1.08		
· ·			
A. palmatum atropurpureum (P	urple	leaf or	Blood-
leaf Japanese Maple) 6'-8'			
10 to 12 in. B&B		3.50	
12 to 15 in. B&B		5.00	••••••
15 to 18 in. B&B		7.50	
18 to 24 in. B&B	1.20	10.00	•••••
A. platanoides (Norway Maple)	50'-7!	5'	
6 to 8 ft	.72	6.00	50.00
6 to 8 ft	.90	7.50	65.00
8 to 10 ft., 1½ to 1½ in. cal	1 20	10.00	90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal	1.58	13.00	116.00
1% to 2 in. cal		16.00	
2 to 2¼ in. cal		20.00	
2½ to 2½ in. cal	3.00	25.00	
$2\frac{1}{2}$ to 3 in. cal		32.50	
3 to 3½ in. cal	5.08	42.50	
$3\frac{1}{2}$ to 4 in. cal		50.00	
A. platanoides schwedleri (Schwe			50'-70'
6 to 8 ft., branched		6.00	•••••
8 to 10 ft., branched	1.00	9.00	•••••
8 to 10 ft., 1\(\frac{1}{4}\) to 1\(\frac{1}{2}\) in. cal.	9 10	12.50	•••••
10 to 12 ft., 1½ to 1¾ in. cal.		$\begin{array}{c} 17.50 \\ 22.50 \end{array}$	•••••
10 to 12 ft., 1¾ to 2 in. cal. 12 to 14 ft., 2 to 2¼ in. cal.		30.00	•••••
•			•••••
A. rubrum (Red or Scarlet Maple	e) 60'	-80'	
6 to 8 ft		6.00	50.00
8 to 10 ft	1 00		
0 10 10 10	1.08	9.00	80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	1.50	12.50	80.00
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal.	1.50 2.10	$12.50 \\ 17.50$	80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	1.50 2.10	12.50	80.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal.	1.50 2.10 2.70	$12.50 \\ 17.50$	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.10 2.70 '-100' .72	$12.50 \\ 17.50$	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.10 2.70 '-100' .72	12.50 17.50 22.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.10 2.70 '-100' .72 1.08	12.50 17.50 22.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 .2.10 2.70 '-100' .72 1.08 1.80	12.50 17.50 22.50 6.00 9.00	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 '-100' .72 1.08 1.80 2.22 3.00	12.50 17.50 22.50 6.00 9.00 15.00	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 '-100' .72 1.08 1.80 2.22 3.00	12.50 17.50 22.50 6.00 9.00 15.00 18.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -1.00 1.08 1.80 2.22 3.00 3.85	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00	
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -1.00 1.08 1.80 2.22 3.00 3.85	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -72 1.08 1.80 2.22 3.00 3.85 ; Hor	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -72 1.08 1.80 2.22 3.00 3.85 ; Hon	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -72 1.08 1.80 2.22 3.00 3.85 ; Hor	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 5.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -72 1.08 1.80 2.22 3.00 3.85 ; Hori	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 5.50 6.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -72 1.08 1.80 2.22 3.00 3.85 ; Hor .60 .68	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 5.50	
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore-66 .68 .78 .90	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 5.50 6.50 7.50	
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hor .60 .68 .78 .90	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 6.50 7.50	nut)
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 70'-80	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 6.50 7.50	nut)
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Horaldonian .60 .68 .78 .90 .55 .72	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 5.50 6.50 7.50	nut)
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Horaldonian description of the control of the con	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 6.50 7.50	nut)
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Horaldonian description of the control of the con	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 5.50 6.50 7.50	40.00 50.00
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 -70'-80 .55 .72 1.02 1.50	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 6.50 7.50	40.00 50.00
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 .70'-80 .55 .72 1.02 1.50	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 6.50 7.50	40.00 50.00
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 .70'-80 .55 .72 1.02 1.50 .60' .42'	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 6.50 7.50 4.50 6.00 8.50 12.50	40.00 50.00
8 to 10 ft., 1¼ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 .70'-80 .55 .72 1.50 60' .42 .55	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 esechestr 5.00 5.50 6.50 7.50 4.50 6.00 8.50 12.50	40.00 50.00
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .60 .68 .78 .90 70'-80 .55 .72 1.02 1.50 60' .55 .72 1.60 .60' .72 1.60 .60' .72 1.60 .60' .72 1.60 .60' .72 1.60' .72 1.60' .72 1.60' .72 1.60' .73 .74' .75' .72' 1.60' .75' .72' 1.60' .72' .72' 1.60' .72' .72' 1.60' .72' .72' 1.60' .72' .72' 1.60' .72' .7	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 5.50 6.50 7.50 4.50 4.50 4.50	40.00 50.00
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .68 .78 .90 .55 .72 1.02 1.50 .63 .72 1.02 1.50 .72 1.08 .72 1.08 .73 .74 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .70 .70 .70 .70 .70 .70 .70 .70	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 6.50 7.50 4.50 6.00 8.50 12.50 3.50 4.50 5.50 7.00 9.00	40.00 50.00
8 to 10 ft., 1½ to 1½ in. cal. 10 to 12 ft., 1½ to 1¾ in. cal. 10 to 12 ft., 1¾ to 2 in. cal. A. saccharum (Sugar Maple) 60 6 to 8 ft	1.50 2.70 2.70 -100' .72 1.08 1.80 2.22 3.00 3.85 ; Hore .68 .78 .90 .55 .72 1.02 1.50 .63 .72 1.02 1.50 .72 1.08 .72 1.08 .73 .74 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .72 1.08 .75 .70 .70 .70 .70 .70 .70 .70 .70	12.50 17.50 22.50 6.00 9.00 15.00 18.50 25.00 32.00 rsechestr 5.00 6.50 7.50 4.50 6.00 8.50 12.50 3.50 4.50 5.50 7.00	40.00 50.00

T	-1. T) 10 1	Day 100
AMYGDALUS persica rosea (Pink		Per 10] vering	
10'-12'			
	.25	2.00	**********
	.38	$\begin{array}{c} 3.00 \\ 4.00 \end{array}$	
4 10 0 11	.48	4.00	*********
BETULA (Birch)			
B. alba (European White Birch) 3	0'-50)′	
6 to 8 ft	.72	6.00	50.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1	.20	10.00	90.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 1	.62	13.50	120.00
12 to 14 ft., 1¾ to 2 in. cal. 1 12 to 14 ft., 2 to 2½ in. cal. 2	.92	$\begin{array}{c} 16.00 \\ 20.00 \end{array}$	140.00 175.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal. 2 14 to 16 ft., $2\frac{1}{2}$ to 3 in. cal. 3	40 ! NN	25.00	225.00
·			220.00
B. papyrifera (Paper or Canoe Bir 4 to 5 ft		50′-75′ 4.00	
	.48 .60	5.00	
		7.50	
8 to 10 ft 1		10.00	
B. pendula laciniata (Cut Leaf W	Toon	ing Dir	ah)
30'-40'	_	ing bii	CII)
6 to 8 ft., B&B 1	.80	15.00	
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{9}{4}$ in. cal.		40.00	
B&B	1.50	40.00	•••••
B&B	7.20	60.00	
2 to 2½ in. cal., B&B	9.00	75.00	
CAMATRA			
CATALPA			
C. bungei (Umbrella Catalpa) 10'-		0.50	20.00
1 yr. heads, 4 to 5 ft. stem 1 yr. heads, 5 to 6 ft. stem	.30 .38	$\begin{array}{c} 2.50 \\ 3.00 \end{array}$	$20.00 \\ 25.00$
2 yr. heads, 4 to 5 ft. stem	.38	3.00	25.00 25.00
2 yr. heads, 5 to 6 ft. stem, $1\frac{1}{2}$	•••	0.00	20.00
in. cal., extra heavy	.42	3.50	30.00
2 yr. heads,6 to 7 ft. stem, 1%			
in. cal., extra heavy	.48	4.00	35.00
C. speciosa (Western Catalpa) 30'-3			
5 to 6 ft	.30	2.50	17.00
6 to 8 ft	.38	3.00	25.00
8 to 10 ft 10 to 12 ft	.60 .90	5.00 7.50	40.00
10 00 12 10	.50	1.50	
CELTIS occidentalis (Hackberry) 50	0'-60	,	
3 to 4 ft	.55	4.50	40.00
4 to 5 ft	.68	5.50	50.00
5 to 6 ft		6.50	60.00
6 to 8 ft		8.00	70.00
8 to 10 ft	1.20	10.00	
CERCIS canadensis (American Redb	ud c	r Juda	s Tree)
20'-25'			,
6 to 8 ft	1.08	9.00	
8 to 10 ft	1.80	15.00	•
10 to 12 ft	4.4U	20.00	•••••
CLADRASTIS lutea (Yellowwood)	30'-5	0′	
2 to 3 ft	.90	7.50	
3 to 4 ft		10.00	
4 to 5 ft	1.50	12.50	•••••
5 to 6 ft		15.00	•••••
6 to 8 ft	2.10	17.50	••••••

To	1_	D 10	Day 100
CORNUS (Dogwood)	acn	Per 10	Per 100
, , ,	1\	17/05/	
C. florida (Whiteflowering Dogwood 2 to 3 ft		3.25	
3 to 4 ft		$\begin{array}{c} 3.25 \\ 4.25 \end{array}$	
4 to 5 ft		7.50	
5 to 6 ft		9.75	
6 to 8 ft		16.75	
8 to 10 ft	3.00	25.00	•
10 to 12 ft	4.20	35.00	•••••
12 to 14 ft. 3 to $3\frac{1}{2}$ in. cal1	5.00	125.00	•••••
14 to 16 ft. 3½ to 4 in. cal1	8.00	150.00	••••••
C. florida kousa (Kousa Dogwood) 16	'-18'	
2 to 3 ft., B&B		4.50	•••••
3 to 4 ft., B&B	.6 8	5.50	••••••
4 to 5 ft., B&B	1.02	8.50	•••••
C. florida rubra (Redflowering Dog	יטענים	od) 15'-	25'
18 to 24 in., B&B	.60	5.00	
2 to 2½ ft., B&B	.78	6.50	
3½ to 4 ft., B&B	1.6 8	14.00	
3½ to 4 ft., B&B 4 to 5 ft., B&B	2.40	20.00	•••••
5 to 6 ft., B&B	4.20	35.00	••••••
6 to 7 ft., B&B heavy	4.4 8	37.50	••••••
CD LD LD CTC (TT L)			
CRATAEGUS (Hawthorn)			
C. coccinea (Thicket Hawthorn) 12			
18 to 24 in	.35	•••••	•••••
C. crusgalli (Cockspur Thorn) 15'	'-20'		
18 to 24 in	35		•••••
2 to 3 ft	.50		•••••
3 to 4 ft	.75		•••••
C. oxyacantha (English Hawthorn) 1F	s'_20'	
18 to 24 in			
2 to 3 ft			**********
C 1' (D 1' C -1	, 177		171 001
C. oxyacantha pauli (Paul's Scarle			
3 to 4 ft 4 to 5 ft			
5 to 6 ft			*******
			•••••
C. prunifolia (Plumleaf Hawthorn) 25	′-30′	
18 to 24 in	.35	•••••	•••••
2 to 3 ft	.00.	•••••	•••••
FRAXINUS americana (alba) (Whi	te A	sh) 75'	'-100'
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	1.02	8.50	75.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal.	1.50	12.50	115.00
10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal.	2.10	17.50	150.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in. cal	2.40	20.00	175.00
CLEDITSIA triggenthes (Common U	lana	+פננסס[ער	60'-70'
5 to 6 ft		4.00) 60 - 10
6 to 8 ft			••••••
8 to 10 ft			
GYMNOCLADUS dioica (Kentucky			50'-70'
2 to 3 ft			••••••
3 to 4 ft			•••••
4 to 5 ft 5 to 6 ft			•••••
0 W 0 II	T.9A	12.50	******
KOELREUTERIA paniculata (Golde	anra	in_troc	25'-30'
3 to 4 ft	onica Oa,	5.00	20-30
4 to 5 ft	.85	7.00	
m vv v m vv:0000000000000000000000000000			

<u>_</u>			400
		er 10 Pe	er 100
LABURNUM vulgare (Goldenchain)			
2 to 3 ft		5.00	
3 to 4 ft			55.00
4 to 5 ft	08	9.00	80.00
LARIX europaea (European Larch) 5	io'_60	,	
6 to 8 ft., B&B 2.		18.00	
8 to 10 ft., B&B 2.	40	20.00	
10 to 12 ft., B&B 3.	60	30.00	
· ·			
LIQUIDAMBAR styraciflua (Sweetgu	$(\mathbf{m})^{-1}$		
4 to 5 ft	.08	9.00	••••••
5 to 6 ft		12.00	••••••
8 to 10 ft		20.00 30.00	•••••••
10 to 12 1t		40.00	•••••
If B. & B. add \$2.00 per tree extra for sizes	below	8 ft. and	1 \$3.00
If B. & B. add \$2.00 per tree extra for sizes per tree extra for sizes over 8 ft.		•	•
LIRIODENDRON tulipifera (Tuliptro	ر (۵	00'-150	,
6 to 8 ft	.08	9.00	••••••
0 00 10 10,	•00	0.00	••••••
MAGNOLIA tripetala (Umbrella Mag	gnolia	a) 30 '- 4	:0'
2 to 3 ft., B&B	.75		•••••
3 to 4 ft., B&B 1	.25		•••••
MALUS (Flowering Crab)			
M. atrosanguinea (Carmine Crab)	19'_1	5'	
	.48		35.00
	.60		45.00
		6.00	50.00
			00.00
	12′-1		90.00
	.30	$\begin{array}{c} 2.50 \\ 4.00 \end{array}$	$20.00 \\ 35.00$
	.48 .78	4.00 6.50	55.00
± 00 0 10	••0	0.00	00.00
MORUS (Mulberry)			
M. alba pendula (Teas Weeping M	[ulbe	rrv) 8'-	·10′
	.72	6.00	
	.90	7.50	
M. alba tatarica (Russian Mulberr	77) 2	5' 50'	
5 to 6 ft	.42	3.50	
6 to 8 ft	.60	5.00	

PHOTINIA villosa (Christmasberry)	12'-		
2 to 3 ft		3.00	•
	.48	4.00 5.00	••••••
	.60	5.00	•••••••
PLATANUS (Planetree; Sycamore)			
P. occidentalis (American Planetre	e or	Sycamo	re)
75′-100 ′		·	
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal.		7.00	60.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1		8.50	75.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal. 1		11.00	
10 to 12 ft., $1\frac{3}{4}$ to 2 in. cal. 1	l.8 0	15.00	•••••
P. orientalis (European or Oriental	Plai	netree)	70'-80'
6 to 8 ft	.48	4.00	35.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal.	.72	6.00	50.00
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	.98	8.00	70.00
10 to 12 ft., 1½ to 1¾ in. cal. 1	l.20	10.00	90.00
10 to 12 ft., 1¾ to 2 in. cal. 1 12 to 14 ft., 2 to 2¼ in. cal. 1	1.50	12.50	115.00
12 to 14 ft., 2 to $2\frac{1}{4}$ in. cal. 1	1.80	15.00	130.00
12 to 14 ft., 2¼ to 2½ in. cal. 2	2.40	20.00	175.00
$2\frac{1}{2}$ to 3 in. cal. 3	3.00		225.00
3 to 3½ in. cal. 3	3.90	32.50	300.00

W DOLINITION IN MANUALIDATE		
Fach I	Per 10 I	Par 100
POPULUS (Poplar)	. 61 10 1	EI 100
P. bolleana (Bolleana Poplar) 50'-60'		
6 to 8 ft	7.00	60.00
8 to 10 ft	9.00	80.00
10 to 12 ft 1.35	11.00	100.00
P. eugenei (Carolina Poplar) 75'-90'		
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal55	4.50	40.00
12 to 14 ft., $1\frac{1}{2}$ to 2 in. cal85	7.00	60.00
P. lasiocarpa (Chinese Poplar) 50'-60'	•	
8 to 10 ft	3.25	28.00
10 to 12 ft., $1\frac{1}{2}$ to 2 in. cal55	4.50	40.00
P. nigra italica (Lombardy Poplar) 60'	'-80'	
5 to 6 ft., transplanted	2.50	20.00
6 to 8 ft., transplanted	3.50	30.00
8 to 10 ft	3.75	35.00
10 to 12 ft	4.50 6.50	40.00 55.00
12 to 15 ft., $1\frac{1}{2}$ to 2 in. cal90	7.50	65.00
		00.00
PRUNUS (Flowering Plum and Cherry)		F,
P. cerasifera pissardi (Purpleleaf Plun 3 to 4 ft	a) 12'-1 4.00	
3 to 4 ft	5.00	
5 to 6 ft	6.00	
	3,00	••••••
P. tomentosa (Nanking Cherry) 6'-8' 18 to 24 in	2.00	
18 to 24 in	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	
		••••••
P. triloba (Flowering Plum, tree form		
2 to 3 ft	$\frac{3.00}{4.00}$	••••••
4 to 5 ft	5.00	
QUERCUS palustris (Pin Oak) 75'-100' 5 to 6 ft	6.00	
6 to 8 ft	8.50	•••••
8 to 10 ft., 1 to 1¼ in. cal. 1.35		
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal. 1.92	16.00	
9 to 11 ft., 1½ to 1¾ in. cal. 2.52		••••••
9 to 11 ft., 1¾ to 2 in. cal. 3.42 11 to 12 ft., 2 to 2½ in. cal. 4.62	28.50 38.50	•••••
,		*********
SALIX pentandra (Laurifolia) (Laurel I	∟eaf Wi	llow)
20'-30' 5 to 6 ft	5.00	
6 to 8 ft	6.00	•••••••
8 to 10 ft	8.00	
SASSAFRAS variifolium (Common Sas	cafracl	30'-60'
18 to 24 in		30 -00
2 to 3 ft	3.25	•
3 to 4 ft	4.50	•••••
4 to 5 ft	5.50	•••••
SORBUS aucuparia (European Mounta	in-ash)	25'-30'
6 to 8 ft	7.50	
8 to 10 ft	10.00	
TILIA americana (American Linden) 75	' an'	
		60.00
6 to 8 ft	9.00	80.00
8 to 10 ft., 1 ¹ / ₄ to 1 ¹ / ₂ in, cal, 1.40	11.50	100.00
10 to 12 ft., 1½ to 1¾ in. cal. 1.80	15.00	
10 to 12 ft., 1% to 2 in. cal. 2.40	20.00	•••••

ULMUS (Elm) E U. americana (American Elm) 80			Per 100
6 to 8 ft	.42	3.50	30.00
0 to 0 1t	.72		50.00
8 to 10 ft., 1 to 1¼ in. cal.		6.00	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in. cal.	.85	7.00	60.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.	1.0 8	9.00	80.00
10 to 12 ft., 1\% to 2 in. cal.	1.35	11.00	100.00
10 to 12 ft., 1/4 to 2 in. cal.		16.00	140.00
12 to 14 ft., 2 to 2½ in. cal.	1.54		
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal.		20.00	175.00
$2\frac{1}{2}$ to 3 in. cal.	3.30	27.50	
3 to $3\frac{1}{2}$ in. cal.		35.00	
$3\frac{1}{2}$ to 4 in. cal.		42.50	
· -			
U. americana molini (Moline Elm) 80'	-100'	
8 to 10 ft., 1¼ to 1½ in. cal.	1 20	10.00	

10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in. cal.	1.00	15.00	
12 to 14 ft., 1¾ to 2 in. cal.	2.10	17.50	
$\frac{1}{2}$ to $\frac{2}{4}$ in. cal.	3.00	25.00	
TT 6 1' 1 (C) 11 1 TS	1 \	FO! 00!	
U. foliacea suberosa (Corkbark E			
4 to 5 ft	.42	3.50	
5 to 6 ft	.55	4.50	
6 to 8 ft		5.50	
			•••••
8 to 10 ft	.90	7.50	••
U. pumila (Chinese Elm) 50'-75'			
	60	- 00	40.00
5 to 6 ft	.60	5.00	40.00
6 to 8 ft	.85	7.00	60.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in. cal.	1.08	9.00	80.00
8 to 10 ft., 1¼ to 1½ in. cal.	1 50	12.50	
10 to 12 ft., 1½ to 1¾ in. cal.	1 60	14.00	•••••••
10 to 12 ft., 1-/2 to 1-/4 fff. cal.			•••••
10 to 12 ft., 1¾ to 2 in. cal.	2.05	17.00	••••••
2 to $2\frac{1}{4}$ in. cal.	2.40	20.00	
$2\frac{1}{4}$ to $2\frac{1}{2}$ in. cal.	3.00	25.00	
$2\frac{1}{2}$ to 3 in. cal.		30.00	
2/2 to 5 III. cal.	0.00	90.00	••••••
Nut Tree		Per 10	Per 100
E	ach	Per 10	Per 100
E CORYLUS avellana (Filbert) 10'-15'	ach i		Per 100
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	ach .38	3.00	•••••
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55	3.00 4.50	Per 100
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55	3.00	•••••
E CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55	3.00 4.50	•••••
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72	3.00 4.50 6.00	
ECORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72	3.00 4.50 6.00	•••••
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72	3.00 4.50 6.00 4.00 5.00	
ECORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72	3.00 4.50 6.00	
ECORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60	3.00 4.50 6.00 4.00 5.00 6.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72	3.00 4.50 6.00 4.00 5.00 6.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .50'-	3.00 4.50 6.00 4.00 5.00 6.00 6.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .72 .90	3.00 4.50 6.00 4.00 5.00 6.00 6.00 7.50	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .72 .90	3.00 4.50 6.00 4.00 5.00 6.00 6.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .72 .90	3.00 4.50 6.00 4.00 5.00 6.00 6.00 7.50	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .50'- .72 .90	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00	
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 Lbs are for ditionals.	plants
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals.	plants charge
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals.	plants charge
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals.	plants charge
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Add shrub Arali	3.00 4.50 6.00 5.00 6.00 7.50 9.00 LbS are for ditional st. a penta Per 10 1.50	plants charge
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Add shrub Arali	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals.	plants charge
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Adshrub Arali ach .18 .25	3.00 4.50 6.00 5.00 6.00 7.50 9.00 LbS are for ditionals. a penta Per 10 1.50 2.00	plants charge aphylla)
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Addshrub Arali lach .18 .25	3.00 4.50 6.00 5.00 6.00 7.50 9.00 LbS are for ditionals. a penta Per 10 1.50 2.00	plants charge aphylla)
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Addshrub Arali lach .18 .25 e-of-S	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals. a penta Per 10 1.50 2.00 Sharon)	plants charge aphylla)
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Addshrub Arali lach .18 .25 e-of-Sd.	3.00 4.50 6.00 5.00 6.00 7.50 9.00 LbS are for ditionals. a penta Per 10 1.50 2.00	plants charge aphylla)
CORYLUS avellana (Filbert) 10'-15' 2 to 3 ft	.38 .55 .72 .48 .60 .72 .90 1.08 Addshrub Arali lach .18 .25 e-of-Sd.	3.00 4.50 6.00 4.00 5.00 6.00 7.50 9.00 bs are for ditionals. a penta Per 10 1.50 2.00 Sharon)	plants charge

		_	
		_	
		Per 10 F	Per 100
A. anemonaeflorus. 10'-12' Double	pur	ple.	
18 to 24 in	.12	1.00	
2 to 3 ft			
			•••••
A. Jeanne d'Arc. 10'-12' Double v	white.		
18 to 24 in	12	1.00	
2 to 3 ft		1.50	
4 00 0 10	•10	1.90	
A. peaone flore. 10'-12' White with	h red	center.	
18 to 24 in	15	1.25	
3 to 4 ft	.25	2.00	•••••
AMORPHA fruticosa (Indigobush)	0' 10	,	
AMORFIA Iruucosa (Indigobush)	0 -10		10.00
2 to 3 ft	.15	1.25	10.00
3 to 4 ft		1.75	15.00
4 to 5 ft		$2\cancel{.}25$	20.00
5 to 6 ft	.38	3.00	25.00
ARONIA melanocarpa (Black Chok	ceber	ry) 8'-10	U'
18 to 24 in	.25	2.00	17.50
2 to 3 ft	.30	2.50	20.00
3 to 4 ft	.42	3.50	30.00
AZALEA mollis (Deciduous Chines	e Az	alea) 4'	-6'
8 to 10 in. B&B	.68	5.50	
10 to 12 in. B&B		6.50	
12 to 15 in. B&B		8.00	
14 W 10 III. D&D	.70	0.00	••••••
BENZOIN aestivale (Spicebush) 10	Y_12'		
18 to 24 in		2.00	
		2.00	••••••
2 to 3 ft		3.00	•
3 to 4 ft	.48	4.00	•
	_		_
BERBERIS (Barberry)	Per		Per
Each	10	100	$_{1000}^{ m Per}$
Each	10	100	
Each B. thunbergi (Japanese Barberry	10) 5'-7	1 00	1000
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl	10) 5'-7 ings	100 7' P	1000 er 1000
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings	100 7' P	1000 er 1000 2.25
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings	100 7' P	1000 er 1000 2.25 5.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings	100 7' P	1000 er 1000 2.25 5.00 7.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings	100 7' P	1000 er 1000 2.25 5.00 7.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings	100 P	1000 er 1000 2.25 5.00 7.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings y) 5'-	7' P	1000 er 1000 2.25 5.00 7.00 10.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings y) 5'-	7' P	1000 er 1000 2.25 5.00 7.00 10.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedl 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60	7' P 7' 5.00 5.50	1000 er 1000 2.25 5.00 7.00 10.00 40.00 50.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70	7' P 5.00 5.50 7.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70	7' P 5.00 5.50 7.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70	7' P 5.00 5.50 7.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00	7' P 5.00 5.50 7.00 9.00 12.00	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00	7' P 5.00 5.50 7.00 9.00 12.00	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00	7' P 5.00 5.50 7.00 9.00 12.00	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00	7' P 5.00 5.50 7.00 9.00 12.00	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00	7' P 5.00 5.50 7.00 9.00 12.00	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08	7' P 7.00 5.50 7.00 9.00 12.00 Red Le	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00 af Bar-Per 100 6.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08	7' P 7.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70	1000 2.25 5.00 7.00 10.00 40.00 50.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08	7' P 7.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar- Per 100 6.00 7.00 8.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar- Per 100 6.00 7.00 8.50 10.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar- Per 100 6.00 7.00 8.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 nese Each .08 .09 .12 .15	7' P 5.00 5.50 7.00 9.00 12.00 Red Le. Per 10 .70 .80 1.00 1.25 1.50	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar- Per 100 6.00 7.00 8.50 10.00 12.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .09 .12 .15	7' P 5.00 5.50 7.00 9.00 12.00 Red Le. Per 10 .70 .80 1.00 1.25 1.50 2.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .09 .12 .15 .18	7' P 5.00 5.50 7.00 9.00 12.00 Red Le. Per 10 .70 .80 1.00 1.25 1.50 2.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar- Per 100 6.00 7.00 8.50 10.00 12.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38	7' P 7.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3'	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38 ry) 2	7' P 7' 5.00 7.00 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38 ry) 2 .12 .18	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.00 1.50	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings 	7' P 7' 5.00 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.50 2.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings 	7' P 7' 5.00 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.50 2.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .70 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38 ry) 2 .12 .30	7' P 7' 5.00 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.50 2.00	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 8.50 10.00 12.00 17.50 27.50
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38 ry) 2 .12 .15 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.00 1.50 2.00 2.50	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 12.00 17.50 27.50 8.00 12.00 17.50 20.00
Each B. thunbergi (Japanese Barberry Sturdy 2 yr. Lining Out Seedle 6000—2 to 3 in	10) 5'-7 ings y) 5'- .60 .85 1.00 1.50 .nese Each .08 .12 .15 .18 .25 .38 ry) 2 .12 .15 .30 .30 .30 .30 .30 .30 .30 .30 .30 .30	7' P 5.00 5.50 7.00 9.00 12.00 Red Le Per 10 .70 .80 1.00 1.25 1.50 2.00 3.00 '-3' 1.00 1.50 2.00 2.50	1000 er 1000 2.25 5.00 7.00 10.00 40.00 55.00 70.00 100.00 af Bar-Per 100 6.00 7.00 12.00 17.50 27.50 8.00 12.00 17.50 20.00

T	lach F	Par 10 1	Per 100
BUDDLEIA davidi magnifica (Butt			
18 to 24 in., medium	20	1 75	15.00
2 to 3 ft., 2 yr. No. 1	28	2 25	18.00
3 to 4 ft., 3 yr. heavy	38	3.00	25.00
5 to 4 lt., 5 yl. neavy	.00	3.00	20.00
CALLICARPA purpurea (Chinese	Beaut	tyberry) 4'-5'
2 to 3 ft		2.00	17.50
3 to 4 ft		2.50	20.00
CALYCANTHUS floridus (Sweetsh	rub) 6	′-8′	
12 to 18 in	.12	1.00	8.00
18 to 24 in	.15	1.25	10.00
2 to 3 ft	.20	1.75	15.00
3 to 4 ft	.35	2.75	
CARTONNERS (D) C.	٠. ٥٠		
CARYOPTERIS incana (Blue Spire			
12 to 18 in	.25	2.00	17.50
18 to 24 in	.30	2.50	20.00
2 to 3 ft	.3 8	3.00	25.00
CEDUAL ANTHUE constantalia /D.	ttanh.	1#h) 0'	10'
CEPHALANTHUS occidentalis (Bu			12.00
2 to 3 ft		2.00	17.50
3 to 4 ft	.30	2.50	20.00
CHIONANTHUS virginica (White	Fring	atraa)	15'-18'
12 to 18 in		2.50	10 -10
18 to 24 in		3.25	*********
COLUTEA arborescens (Common	${f Bladde}$	er-senn	a)
10'-12'			
2 to 3 ft	.25	2.00	•••••
3 to 4 ft	.30	2. 50	
CORNUS (Dogwood)			
C. amomum (Silky Dogwood) 8'-	10'		
18 to 24 in	.15	1.25	10.00
2 to 3 ft	.13	1.50	12.00
3 to 4 ft	.20	1.75	15.00
		1.73	19.00
C. baileyi (Bailey Dogwood) 8'-10)′		
2 to 3 ft	.18	1.50	12.00
C. sanguinea (Bloodtwig Dogwoo	4) 10'	19'	
12 to 18 in	.12	1.00	8.00
18 to 24 in	.12	1.50	12.00
2 to 3 ft		2.00	17.50
3 to 4 ft		2.50	20.00
			20.00
C. stolonifera (Red-osier Dogwoo	d) 8'-1	.0'	
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
C. stolonifera flaviramea (Golden	rario D	lommo-	d) 6' 9'
18 to 24 in		1.50	
2 to 3 ft	.25	2.00	12.00
3 to 4 ft	.25 .30	2.50	•••••
CORONILLA emerus (Scorpion-sen	na) 7'	-9'	
18 to 24 in	.18	1.50	12.00
CRATAEGUS—See Deciduous and		nina M	2005
CYDONIA japonica (Japanese Flow	ering		e) 3'-4'
8 to 12 in.	.12	1.00	8.00
12 to 18 in		1.25	10.00
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

- Individually Marine			
	ach	Per 10	Per 100
DEUTZIA			
D. gracilis (Slender Deutzia) 3'-4'	•		
8 to 12 in	.12	1.00	8.00
12 to 15 in	.18	1.50	12.00
15 to 18 in	.20	1.75	15.00
D	4	.:_\ 0/	41
D. gracilis rosea (Rose Panicle D	eutz	na) 3 -4 1.75	
15 to 18 in	.20 .25		*********
18 to 24 in	.23	2.00	
D. lemoinei (Lemoine Deutzia) 4'	-5'		
12 to 18 in		1.00	
	.18	1.50	
2 to $2\frac{1}{2}$ ft	.25	2.00	
2½ to 3 ft	.30	2.50	********
70 1 1'1' ' /G G 1	ъ		0/ 10/
D. scabra candidissima (Snowflak			
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
6 to 7 ft	.42	3.50	30.00
D. scabra crenata flore-pleno (Do	uble	Pink I	Deutzia)
6'-8'		4 00	
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.3 8	3.00	25.00
D. cooks fortune: (Fortune Donte	.:. \	c! 0!	
D. scabra fortunei (Fortune Deutz 18 to 24 in	.12		9 00
2 to 3 ft	.18	1.00 1.50	$8.00 \\ 12.00$
3 to4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
6 to 7 ft	.42	3.50	30.00
0 00 1 10	.44	0.00	40.00
D. scabra Pride of Rochester (Pin	k D	eutzia)	8'-10'
18 to 24 in	.12	1.00	8.00
2 to 3 ft.	.18	1.50	12.00
3 to 4 ft	.25	2.00	
4 to 5 ft.	.30	2.50	20.00
5 to 6 ft.	.38	3.00	25.00
			101
ELAEAGNUS angustifolia (Russian	Uli		
3 to 4 ft	.30	2.50	*******
4 to 5 ft	.40	3.25	•••••
5 to 6 ft	.55 .72	4.50 6.00	*******
6 to 8 ft	.12	0.00	********
EUONYMUS			
E. alatus (Winged Euonymus) 8'-	10′		
18 to 24 in.	.25	2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft	.48	4.00	
4 to 5 ft	.60	5.00	
5 to 6 ft	.90	7.50	*********
	7′-8		
E. americanus (Brook Euonymus)			
2 to 3 ft	.30 .48	2.50 4.00	•••••
	.60	5.00	
4 to 5 ft 5 to 6 ft	.90	7.50	
9 to 0 Tr	.JU	4.50	*******

Tr.	och I	Per 10 F	Par 100
E. atropurpureus (Wahoo Euonyn		20'-25'	61 100
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	•••••
3 to 4 ft	.48	4.00	•••••
4 to 5 ft 5 to 6 ft	.60 .90	$\frac{5.00}{7.50}$	••••••
			•••••
E. europaeus (European Burningh 18 to 24 in	oush) .25	12'-16' 2.00	
2 to 3 ft	.30	2.50	
3 to 4 ft.	.48	4.00	
4 to 5 ft	.60	5.00	
5 to 6 ft	.90	7.50	
EXOCHORDA grandiflora (Commo	n Pe	arlbush) 6'-9'
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.15	1.25	10.00
3 to 4 ft	.20	1.75	15.00
4 to 5 ft	$\begin{array}{c} \textbf{.30} \\ \textbf{.42} \end{array}$	$\begin{array}{c} 2.50 \\ 3.50 \end{array}$	20.00
	.42	5.50	•••••
FORSYTHIA			
F. intermedia (Border Forsythia)			0.00
18 to 24 in	.12 .18	$\begin{array}{c} 1.00 \\ 1.50 \end{array}$	$\begin{array}{c} 8.00 \\ 12.00 \end{array}$
3 to 4 ft	.25	2.00	17.50
4 to 5 ft.	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
6 to 7 ft	.42	3.50	•••••
F. intermedia spectabilis (Showy	Bord	der Fors	sythia)
6'-8' 18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	
F. suspensa (Weeping Forsythia)			
2 to 3 ft	.18	1.50	
F. suspensa fortunei (Fortune Fo	rsyth		
18 to 24 in 2 to 3 ft		$1.00 \\ 1.50$	$\begin{array}{c} 8.00 \\ 12.00 \end{array}$
3 to 4 ft		$\begin{array}{c} \textbf{1.30} \\ \textbf{2.00} \end{array}$	17.50
4 to 5 ft	.30	2.50	20.00
F. viridissima (Greenstem Forsyt	hia)	7'_8'	
18 to 24 in.		1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft		2.00	17.50
4 to 5 ft		2.50	20.00
5 to 6 ft	.38 .42	$\frac{3.00}{3.50}$	$\begin{array}{c} 25.00 \\ 30.00 \end{array}$
HAMAMELIS virginiana (Common 12'-16'	Wit	ch-haze	1)
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	•••••
3 to 4 ft	.38	3.00	•
HIBISCUS syriacus—See Althaea			
HVDDANCEA			
HYDRANGEA H. arborescens grandiflora (Hills	of	Snow F	Iydran-
gea) 4'-5'			
12 to 18 in		1.00	
18 to 24 in		1.50	
2 to 3 ft	.25	2.00	17.50

			Per 100
H. paniculata grandiflora (Peege	е Нус		
12 to 18 in		1.00	8.00
18 to 24 in 2 to 3 ft		$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	$12.00 \\ 17.50$
3 to 4 ft		$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	20.00
0 00 10	.00	2.00	20.00
KOLKWITZIA amabilis (Beautybu	sh) 6	'- 8'	
18 to 24 in		2.50	20.00
2 to 3 ft	.38	3.00	25.00
LESPEDEZA			
L. bicolor (Shrub Bushclover) 8'-	-10′		
2 to 3 ft	.18	1.50	13.50
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.3 8	3.00	25.00
L. formosa (Purple Bushclover)	6'-7'		
3 to 4 ft., 3 yr. No. 1	.30	2.50	•••• ; •••
4 to 5 ft., 4 yr. No. 1	.40	3.25	•••••
	70	10	D
Each	$\begin{array}{c} \mathrm{Per} \\ 10 \end{array}$	$_{100}^{ m Per}$	$rac{ ext{Per}}{1000}$
LIGUSTRUM (Privet)	10	100	1000
L. amurense (Amur River North	Priv	et) 12'-	15'
12 to 18 in		3.00	25.00
18 to 24 in	.60	4.00	35.00
2 to 3 ft	.90	7.00	60.00
L. ibota (Ibota Privet) 8'-10'			
18 to 24 in	85	6.50	
2 to 3 ft	.90	7.00	60.00
3 to 4 ft	1.20	10.00	80.00
		Per 10	Per 100
L. ibota regelianum (Regel Prive	t) 4'-	6'	
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'- .18	6' 1.50	12.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25	6' 1.50 2.00	12.00 17.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35	6' 1.50 2.00 2.75	12.00 17.50 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42	1.50 2.00 2.75 3.50	12.00 17.50 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42	6' 1.50 2.00 2.75 3.50	12.00 17.50 22.50 30.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42	6' 1.50 2.00 2.75 3.50	12.00 17.50 22.50 30.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42 10'-1 back	6' 1.50 2.00 2.75 3.50 .5' for bu	12.00 17.50 22.50 30.00 shiness
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42 10'-1 back	6' 1.50 2.00 2.75 3.50 5' for bu Per	12.00 17.50 22.50 30.00 shiness
 L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42 10'-1 back	6' 1.50 2.00 2.75 3.50 .5' for bu	12.00 17.50 22.50 30.00 shiness
 L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	.18 .25 .35 .42 10'-1 back	6' 1.50 2.00 2.75 3.50 5' for bu Per	12.00 17.50 22.50 30.00 shiness
 L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00
 L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10	6' 1.50 2.00 2.75 3.50 5' for bu Per 100	12.00 17.50 22.50 30.00 shiness Per 1000 16.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20	6' 1.50 2.00 2.75 3.50 2.5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00	6' 1.50 2.00 2.75 3.50 2.5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00	6' 1.50 2.00 2.75 3.50 2.5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 .	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 . Cach len Ca	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 . Cach len Ca .15	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 1 lifornia 1.25	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 40.00 55.00 80.00
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 . Cach len Ca .15 .25	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 1 lifornia 1.25 2.00	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00 Per 100
L. ibota regelianum (Regel Prive 3 yr., 12 to 18 in	t) 4'18 .25 .35 .42 10'-1 back Per 10 .25 .35 .48 .60 .78 1.20 3.00 . Cach len Ca .15 .25	6' 1.50 2.00 2.75 3.50 5' for bu Per 100 2.00 2.75 4.00 5.00 6.50 10.00 25.00 Per 10 1 lifornia 1.25	12.00 17.50 22.50 30.00 shiness Per 1000 16.00 22.50 32.50 40.00 55.00 80.00 Per 100

-	, ,		400
LONICERA (Honeysuckle, bush typ		er 10 P	er 100
L. fragrantissima (Winter Honeys	uckle	6'-8'	
18 to 24 in	.18	1.50	
2 to 3 ft	.20	1.75	
3 to 4 ft	.30	2.50	
L. maacki podocarpa (Late Honey	sucki .25	e) 9'-1 2.00	
2 to 3 ft	_		*******
L. morrowi (Morrow Honeysuckle) 2 to 3 ft) 7′-8 .18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
L. syringantha (Lilac Honeysuckl	e) 4'-	·5 '	
18 to 24 in	.40	3.25	•••••
2 to 3 ft	.48	4.00	•
L. tatarica alba (White Tatarian I			
18 to 24 in	.15 .18	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$10.00 \\ 12.00$
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
5 to 6 ft	.38	3.00	25.00
L. tatarica siberica (Red Tatarian	Hone	eysuckl	e) ,
8'-10' 18 to 24 in	15	1 05	10.00
2 to 3 ft	.15 .18	$\begin{array}{c} 1.25 \\ 1.50 \end{array}$	$10.00 \\ 12.00$
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
MYRICA cerifera (Southern Waxmy	rtle)	25'-30'	•
12 to 18 in., B&B	.3 8	3.00	
18 to 24 in., B&B	.48	4.00	•••••
PHILADELPHUS (Mockorange)	01 =1		
P. coronarius (Sweet Mockorange) 18 to 24 in	.15	1.25	
2 to 3 ft	.18	1.50	
3 to 4 ft	.25	2.00	•••••
4 to 5 ft	.30	2.50	•••••
5 to 6 ft	.42 .48	$\begin{array}{c} 3.50 \\ 4.00 \end{array}$	•••••
P. grandiflorus (Big Scentless Mo 2 to 3 ft	скога .18	inge) & 1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30		20.00
• 5 to 6 ft	.3 8	3.00	25.00
P. virginal (Virginal Mockorange)	7'-8	•	
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	•••••
PHYSOCARPOS (Ninebark) P. opulifolius (Common Ninebark	\ 011	٥,	
3 to 4 ft	.18	1.50	12.00
4 to 5 ft	.25	2.00	17.50
5 to 6 ft	.30	2.50	20.00
P. opulifolius aureus (Goldleaf Ni			
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25 $.30$	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	17.50 20.00
5 to 6 ft	.38	3.00	25.00
POTENTILLA (Cinquefoil)	7	2.00	
P. fruticosa (Shrubby Cinquefoil)	3'-4'		
12 to 18 in	.18	1.50	
18 to 24 in	.25	2.00	

E	ach P	er 10 I	Per 100
P. fruticosa veitchi (Veitch Cinqu	efoil)	3'-4'	
15 to 18 in	.25	2.00	
RHAMNUS caroliniana (Carolina B	nalsth.	onn) 98	s' 20'
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
4 to 5 ft	.38	3.00	•••••
5 to 6 ft	.48	4.00	
RHODOTYPOS kerrioides (Jetbead			
18 to 24 in	.18	1.50	••••••
2 to 3 ft	.25 .30	$2.00 \\ 2.50$	••••••
	.00	2.00	**********
RHUS (Sumac)	1' "		
R. canadensis (Fragrant Sumac) 18 to 24 in	4'-5' .20	1.75	
2 to 3 ft	.30	2.50	*********
R. cotinus (Common Smoketree;	Purnl	e Frin	ഗ്ല)
12'-15'	_	. TIM	5°/
2 to 3 ft	.38	3.00	
3 to 4 ft	.48	4.00	*********
4 to 5 ft	.72 .90	6.00 7.50	
6 to 8 ft		12.50	
DODINIA Limita (Danasa) Eli	7,		
ROBINIA hispida (Rose-acacia) 5'-7 18 to 24 in	95	2.00	
2 to 3 ft		3.00	
RUBUS odoratus (Flowering Rasph			,
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	•••••
SAMBUCUS canadensis aurea (Gold	len Ai	mericar	1
Elder) 10'-12'			
2 to 3 ft		$\begin{array}{c} 2.00 \\ 3.00 \end{array}$	********
3 to 4 ft		3.00 4.00	
5 to 6 ft	.60	5.00	
SORBARIA sorbifolia (Ural False-	spirea) 8'-10	,
2 to 3 ft	.25	2.00	•••••
3 to 4 ft	.38	3.00	•••••
SPIRAEA (Spirea)			
S. Anthony Waterer (Anthony W			a) 3'-4'
15 to 18 in	.18 .25	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	17.50
2 to 2½ ft	.38	3.00	17.50
S. arguta (Garland Spirea) 4'-6'	.90		
2 to 3 ft	.25	2.00	
S. billiardi (Billiard Rosea Spirea			
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2,50	20.00
S. billiardi alba (White Billiard S			0.00
18 to 24 in 2 to 3 ft	.12 .18	$1.00 \\ 1.50$	8.00 12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00
S. fortunei (Fortune Spirea) 3'-4'	•		•
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00

_			
			Per 100
S. japonica (Callosa alba) (Fortu			
18 to 24 in	.18	1.50	12.00
2 to 3 ft	$\begin{array}{c} \textbf{.25} \\ \textbf{.30} \end{array}$	$2.00 \\ 2.50$	17.50 20.00
3 to 4 ft		2.50	20.00
S. prunifolia (Bridal Wreath) 7'-8			
12 to 18 in	.12	1.00	
18 to 24 in	.18	1.50	••••••
S. reevesiana (Reeves Spirea) 6'-8	'		
18 to 24 in	.15	1.25	10.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.20	1.75	15.00
4 to 5 ft	.25	2.00	17.50
5 to 6 ft	.38	3.00	•••••
S. thunbergi (Thunberg Spirea) 4	'-5'		
18 to 24 in	.18	1.50	12.00
2 to $2\frac{1}{2}$ ft	.25	2.00	17.50
2½ to 3 ft	.30	2.50	20.00
3 to 4 ft	.38	3.00	25.00
S. tricocarpa (Korean Spirea) 5'-6	3′		
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	20.00
	6'-9'		
S. vanhouttei (Vanhoutte Spirea) 2 to 3 ft		1 00	0 00
3 to 4 ft	$\begin{array}{c} .12 \\ .15 \end{array}$	$1.00 \\ 1.25$	8.00 10.00
5 to 4 1t	.19	1.20	10.00
SYMPHORICARPOS			
	4'-6'		
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
S. vulgaris (Coralberry) 4'-5'			
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	17.50
SYRINGA (Lilac)			
S. villosa (Late Lilac) 7'-8'			
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	.25	2.00	
S. vulgaris (Common Purple Lilac	1 12'-	15'	
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	12.00
3 to 4 ft	$.\overline{25}$	2.00	17.50
S. vulgaris alba (Common White l	(د داز		
12 to 18 in		1.50	
18 to 24 in		2.00	17.50
	.20	2.00	11.00
S. vulgaris French Lilacs. 6'-12'			
Named Varieties			
Alexander Humboldt. Reddish	Purple	e.	
Belle de Nancy. Light, violet-re	ed, do	uble.	
Charles the Tenth. Reddish-pur		ingle.	
Emile Lemoine. Double, rosy lil	ac.		
Michel Buchner. Double, pale pi President Grevy. Blue violet to	nk.		1. 11
President Grevy. Blue violet to	soft	pink,	double.
Princess Alexandria. Single wh Rathmogensis. Single red.	ite, 18	irge pa	anicies.
	_		
Souv. de Ludwig Spaeth. Single		red.	
Wm. Robinson. Double violet, p		0 = -	
18 to 24 in		2.50	•••••
2 to 3 ft	.42	3.50	

The state of the s			
77	1 7	. 10 T	100
		Per 10 F	'er 100
TAMARIX africana (African Tamar 2 to 3 ft	1X) I	2 -14 1.50	12.00
3 to 4 ft		$\begin{array}{c} 1.30 \\ 2.00 \end{array}$	12.00
4 to 5 ft		$\begin{array}{c} 2.50 \\ 2.50 \end{array}$	
1 00 0 10	•00	2.00	••••••
VIBURNUM			
V. americanum (American Cranbe			-12'
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	•••••
V. carlesi (Fragrant Viburnum) 4'	'-6'		
15 to 18 in. B&B	.90	7.50	
V. dentatum (Arrowwood) 10'-12'			
18 to 24 in	.18	1.50	
2 to 3 ft	.25	2.00	17.50
3 to 4 ft	.30	2.50	
V. lantana (Wayfaring-tree) 14'-1	ፍ '		
18 to 24 in	.18	1.50	
2 to 3 ft	$.\overline{25}$	2.00	
3 to 4 ft	.30	2.50	
V. lentago (Nannyberry) 18'-20'			
18 to 24 in	.25	2.00	
2 to 3 ft	.30	2.50	***************************************
3 to 4 ft	.38	3.00	*********
		3,7,7	
V. molle (Kentucky Viburnum) 10			
18 to 24 in	.18	1.50	••••••
2 to 3 ft	.25	2.00	•••••
V. opulus (European Cranberrybu	ısh)	9'-10'	
12 to 18 in		1.00	8.00
18 to 24 in	.18	1.50	12.00
2 to 3 ft	.25	2.00	17.50
V. opulus sterile (Common Snowb	all) !	9'-10'	
18 to 24 in		1.50	12.00
2 to 3 ft		2.00	17.50
V. tomentosum plicatum (Japane	sea S	(nowbal	1) 7'_8'
18 to 24 in		2.50	20.00
2 to 3 ft		3.00	25.00

VITEX negundo incisa (Cutleaf Cha			
2 to 3 ft 3 to 4 ft		$\begin{array}{c} 2.50 \\ 3.00 \end{array}$	$20.00 \\ 25.00$
4 to 5 ft		$\begin{array}{c} 3.00 \\ 3.50 \end{array}$	30.00
	.44	0.00	30.00
WEIGELA (DIERVILLA)			
W. Eva Rathke (Redflowered Wei	igela		
12 to 18 in		1.50	12.00
18 to 24 in	.25	2.00	17.50
2 to 3 ft		2.50	20.00
3 to 4 ft	.42	3.50	30.00
W. floribunda (Common Crimson	Wei	gela) 6	′-8′
2 to 3 ft	.25	2.00	
3 to 4 ft	.30	2.50	
W nana varianata (Durant Vanian		W/~:~-1	a) A' O'
W. nana variegata (Dwarf Varieg 18 to 24 in	.18		
2 to 3 ft	.18 $.25$	$\begin{array}{c} 1.50 \\ 2.00 \end{array}$	
3 to 4 ft	.30	$\begin{array}{c} 2.00 \\ 2.50 \end{array}$	
		2.00	********
W. rosea (Pink Weigela) 6'-8'	_		
18 to 24 in	.12	1.00	8.00
2 to 3 ft	.18	1.50	
3 to 4 ft	.25	2.00	17.50
4 to 5 ft	.30	2.50	20.00

Roses

For Spring 1936 Delivery

We have a fine assortment of sturdy specimen 2 yr. No. 1 Roses, either potted in 7 and 8 inch pots or dormant.

HYBRID TEA ROSES	Each	Per 10	Per 100
Dormant 2 yr. No. 1Potted 2 yr. No. 1			

Varieties

Copper, rose-gold, moderately double.

Betty. Copper, rose-gold, moderately double. Betty Uprichards. Semi-double, salmon-pink stained with copper-pink.

Briarcliff. Deep rose-pink, moderately double.

Chas. K. Douglas. Flaming scarlet, double. Dame Edith Helen. Pure glowing pink, very double.

Duchess of Wellington. Saffron yellow. E. G. Hill. Dazzling scarlet, double.

Etoile de France. Crimson velvet.

Vivid yellow, shaded apricot, Feu Joseph Looymans. long pointed buds.

Francis Scott Key. Crimson, very large, very double. Frau Karl Druschki (H.P.). Large white; vigorous.

General MacArthur. Crimson scarlet, double.

Golden Emblem. Very fine yellow, double.

Golden Ophelia. Bright golden yellow. Golden Pernet. Rich golden yellow. J. J. L. Mock. Clear pink.

Joanna Hill. Clear yellow, double. Kaiserin Auguste Viktoria. Double, pure white.

Killarney. Pink.

Lady Ashtown. Soft rose, shading to yellow at base. Los Angeles. Flame pink, shaded with gold at base of petals.

Mme. Butterfly. Bright light pink, shaded with gold. Mme. Edouard Herriot. Bright orange-pink, shaded gold.

Carmine pink. Mrs. A. A. Barraclough.

Aaron Ward. Indian yellow, very floriferous,

double.

Mrs. Chas. Bell. Soft pink, large.

Mrs. E. P. Thom. Lemon yellow, free-flowering, double.

Mrs. Henry Bowles. Clear pink with lighter shades.

Mrs. Henry Morse. Very handsome, soft flesh-cream suffused with vermilion.

President Hoover. Orange and pink to coppery red.

Radiance Pink. Brilliant rosy-carmine, displaying

Radiance Red. Bright, cheerful, even shade of red. Rev. F. Page Roberts. Copper-red buds opening to

golden yellow, stained outside with red, full double. Souv. de Georges Pernet. Brick-red opening to terra-

cotta-pink, immense, very double.

Sunburst. Orange-copper and golden yellow.

Talisman. Exquisite shadings of gold, apricot, yellow and deep pink or old rose.

Willowmere. Coral red suffused with carmine, opening to shaded yellow and flushed carmine-pink.

POLYANTHA or Baby Roses Each Per 10 Per 100 Dormant 2 yr. No. 1
Each Per 10 Per 100 Dormant 2 yr. No. 1
ROSE SPECIES Each Per 10 Per 100 Dormant 2 yr. No. 1
Blanda (Meadow Rose) 4'-6'. Single, fragrant, rose-pink flowers in May and June, followed by glittering red fruit; almost thornless.
Hugonis (Golden Rose of China) 5'-6'. Fragrant saucer-like flowers at lilac-time. A very desirable border rose.
Palustris (Swamp Rose) 6'-8'. An excellent hedge or bank rose; pink flowers from June to August.
Rubiginosa (Sweetbrier) 5'-6'. Bright pink flowers in June; good foliage with aromatic odor.
Rubrifolia (Redleaf Rose) 5'-6'. Handsome purplish red foliage and tiny pink flowers. Makes a good winter subject.
Rugosa (Rugosa Rose) 4'-5'. A handsome shrub with large pink flowers from June to September; large, conspicuous red fruits; rich green foliage. Useful in the shrubbery border, in the hedge or on banks.
Setigera (Prairie Rose) 5'-6'. Bright pink flowers, valuable on rocky slopes and wasteland.
Climbing Vines
Each Per 10 Per 100 AKEBIA quinata (Fiveleaf Akebia) 15'-20' 2 yr. No. 1
AMPELOPSIS A. heterophylla (Porcelain Ampelopsis) 30'-40' 2 yr. No. 1
A. quinquefolia (Virginia Creeper) 30'-50' 2 yr. No. 1

Each Per 10 Per 100 A. tricuspidata veitchi (Japanese Creeper or Boston Ivy) 40'-50'
2 yr. Medium
BIGNONIA radicans (Scarlet Trumpet or Trumpet- creeper) 30'-50'
2 yr. No. 1
CELASTRUS scandens (American Bittersweet) 20'-25' 1 yr. No. 1 .15 1.25 10.00 2 yr. No. 1 .20 1.75 15.00
CLEMATIS C. montana grandiflora (Anemone Clematis) 20'-25' 3 in pots
C. paniculata (Sweet Autumn Clematis) 20'-25' 2 yr. No. 1
C. viticella (Italian Clematis) 12'-15' 2 yr. No. 1
HEDERA (Ivy)
H. coriacea (Korean Ivy) $4'-6'$.10 .90 7.00 $2^{1}/4$ in. pots heavy
H. helix (English Ivy) 60'-70' 2\frac{1}{4} in. pots
H. helix baltica (Hardy Baltic Ivy) 25'-30' 21/4 in. pots
H. helix gracilis (Miniature English Ivy) 75'-100' 2 in. pots
EUONYMUS—See Broadleaved Evergreens.
JASMINUM (Jasmine) J. nudiflorum (Winter Jasmine) 4'-5' 2 yr. No. 1
J. primulinum (Primrose Jasmine) 8'-10' 2 yr. No. 1
LONICERA sempervirens (Redflowering Trumpet Hon-
eysuckle) 15'-20' 2 yr. No. 1
VINCA (Periwinkle or Myrtle)—See Broadleaved Evergreens.
VITIS coignetiae (Gloryvine) 20'-25' 3 yr. No. 1
WISTERIA
W. multijuga (Longcluster Wisteria) 30'-50' 3 yr. No. 1, 2 to 3 ft
W. sinensis (Blue or Purple Chinese Wisteria) 30'-50
2 yr. No. 1

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

ACHILLEA (Yarrow)

Hardy Perennial and Rock Plants

This list of Hardy Herbaceous and Alpine Plants represents the results of the infinite care, time and patience we exercised to accumulate and establish a varied and satisfactory stock of plants that would be suitable to meet the most exacting planting requirements. The plants here listed have proven their hardiness and adaptability. For Fall most of the plants offered are transplanted field grown; for Spring most of the varieties will be well established in 3 inch pots in addition to field grown plants.

The varieties marked with a star (*) are suitable for Rock Gardens.

Each Per 10 Per 100

—filipendula. 4 ft. Excellent border plant. Flat heads of golden yellow flowers profusely borne from June to September.	.10	.90	7.00
—millefolium roseum. 2 ft. Flat heads of rosy red flowers in June. Good for cutting.	.09	.75	6.00
*-tomentosa (Wooly Yarrow). 6-8 in. A neat carpet-like plant with brilliant yellow flowers from May to August. Compact gray-green foliage.	.12	1.00	8.00
ACONITUM fischeri (Azure Monkshoo 2-3 ft. Deep blue flowers in August and September. Likes moisture and some shade.		1.25	•••••
*AETHIONEMA (Persian Candytuft) *-persicum. 8-10 in. A gem for the rockery with light rose flowers in June, and tidy blue-gray foliage; likes full sun	.15	1.25	10.00
*-pulchellum. 4 in. Neat, prostrate grower with rose-purple flowers and gray foliage.	.18	1.50	
*AJUGA (Bugle) *-genevensis. 6-8 in. Deep blue flowers in May and June; rich dark foliage. Useful for carpeting the ground in shady places where grass will not grow	.* 15	1 25	10.00
*-reptans. 4-6 in. Low growing, compact blue flowers in May and June. Likes shady spots.			
*ALLIUM thibetica. 6-8 in. Clusters of lilac-mauve flowers in June and July. Excellent for the rock garden.	.18	1.50	12.00
*ALYSSUM (Basket of Gold) *-argenteum. 12-15 in. Dense growth. Leaves silvery beneath, flowers yellow in clustered heads all summer Likes sun.	.10	.90	7.00

*-citrinum. 1 ft. Pale citron-yellow	ach I	Per 10	Per 100
flowers. Fine in the sunny border, rock garden or dry wall.	.12	1.00	•••••
*-montanum. 3-6 in. A dainty, trailing dwarf with sweet scented yellow flowers in spring and early summer; silvery leaves.	.12	1.00	8.00
ANCHUSA (Alkanet) —italica dropmore. 4 ft. Interesting border plant with pretty gentian blue flowers all summer.	.10	.90	7.00
lissadell. 4-5 ft. Fine variety with large gentian blue flowers; likes the sun.	.18	1.50	•••••
*-myosotidiflora. 15 in. Compact, well foliaged plant which has dainty, forget-me-not-like flowers in May and June; very robust and healthy; effective for shady places in the rock garden.	.15	1.25	10.00
*ANDROSACE lanuginosa (Rock Jast 2 in. Trailing growth and soft sil-	nine).	
very foliage and clusters of lilacrose blossoms lasting all summer.		/	
Most charming. Likes a protected sunny spot.	.18	1.50	•••••
ANEMONE (Windflower) —japonica (Japanese Windflower) 2-3 ft. Among the finest perennials for sheer beauty of bloom. The beautiful flowers of pastel shades appear in late August and continue until frost; ideal for cutting. Should have the protection of 2 or 3 inches of leaves or litter during the winter months. Varieties as follows: Alba. Single white. Alice. Rosy pink.	. 1		
Queen Charlotte. Semi-double pin Richard Ahrends. Shell pink. Prices for preceding Anemones:	IK.		
Field Grown Plants			8.00 6.00
*-hupehensis. 18 in. A rock garden gem with an abundance of mauve-rose flowers from early August until late autumn. Really a miniature form of Anemone Japonica.	.10	.90	7.00
*-pulsatilla alba. 8-10 in. Rare and pretty white form showing a center of golden yellow in the flowers; compact and low growing.	.18	1.50	
*-pulsatilla rubra. 8-10 in. A charming variety with reddish purple flow-			
*-sylvestris (Snowdrop Anemone). 10- 12 in. Large creamy white flowers freely produced in May and June; likes a cool, moist spot; a fine cut	.15	1.25	••••••
flower.	.12	1.00	8.00

· · · · · · · · · · · · · · · · · · ·			
ANTHEMIS tinctoria, Perry's Variety (Hardy Marguerite). 2 ft. Handsome finely cut foliage, and bright golden yellow daisy-like flowers produced all summer; excellent for cut flowers.			Per 100 6.00
AQUILEGIA (Columbine) *-alpina. 12 in. Rare variety with dark blue flowers in May; beautiful short-spurred form.	.15	1.25	•••••
*-caerulea. 18-24 in. Dainty blue long spurred flowers in May and June	.15	1.25	10.00
*-canadensis. 18 in. The native American Columbine with yellow center and bright red long spurs	.09	.75	6.00
—chrysantha. 2½ ft. Bright yellow flowers on graceful stems in May and June. A profuse bloomer	.09	.75	6.00
*-flabellata nana. 12 in. Delightful dwarf variety with waxy, pure white flowers in April and May; the fo- liage is light green, blue tinted. Likes the sun	.15	1.25	10.00
-H. & S. Long Spurred Hybrids. 2½ ft. A very choice strain for the hardy border.	.18	1.50	
*-jaeschkani. 18 in. New introduction from Japan with many lovely shades of flowers in May and June. Likes the sun.	.18	1.50	
-Kelways Long Spurred Hybrids. 2 ft. A fine strain with clear, well defined colors and long spurs	.12	1.00	8.00
-Mrs. Scott Elliott Hybrids. 2½ ft. Wonderful colors and color combinations, with very long spurred flowers ranging through shades of lavenders mauves, blues, purples, whites creams, yellows, pinks, red-well, the perennial border is not quite complete without this strain.	.10	.90	7.00
*-oxysepala (Early Columbine). 12 in. Dwarf and early flowering with attractive blue and white flowers with yellow centers.	.12	1.00	
ARABIS (Rockcress) *-alpina. 12 in. Pure white flowers produced in dense masses in April, splendid for border and rockery. Makes an excellent cut flower.	.10	.90	7.00
*-alpina rosea. 12 in. An abundance of dainty rose flowers shading to pale pink.	.15	1.25	10.00

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

ARENARIA (Sandwort) *-balearica. 1 in. Creeping plan with dark green foliage and a pro	t	Per 10	Per 100
fusion of miniature white flowers A gem for cool, shady places in the rockery, especially for clothing bare rocks.	• e e	1.75	•••••
*ARMERIA (Thrift or Sea Pink) *-laucheana. 3-6 in. Bright rosy reconstruction flowers in May and June; very dainty.	7	1.25	10.00
*-maritima. 4-6 in. Evergreen, grass foliage; pale pink flowers in May and June. Very valuable for edging	7	1.00	8.00
*-maritima alba. 4-6 in. White flow ering variety.		1.00	••••••
ARTEMISIA (Wormwood) —lactiflora. 4-6 ft. Tall, graceful, with heads of small fragrant, white flow ers in August and September. Idea for cutting.	- 1	.90	7.00
—Silver King. 2-3 ft. Beautiful silvery, misty foliage which is excellent to use in the winter bouquet	-	.90	
ASCLEPIAS tuberosa (Butterflyweed 18-24 in. Bright orange flowers in July and August and attractive fo liage; excellent in the border and fine for cutting.	i - l	.75	
ASPHODELUS luteus (King's Spear). 3-4 ft. Tall spikes of bright yellow fragrant flowers, sword-like foliage.	t ∍	1.25	
ASTER *-alpinus. 6-8 in. Large purple blue flowers in May and June. Likes the sun.	9	1.25	10.00
*-Mauve Cushion. 8-10 in. The exquisite soft mauve flowers completely cover the cushion-like plants in lavish profusion during October and November. One of the most beautiful perennials grown. Likes sun	- 1 l	1.00	8.00
—novae-angliae, the autumn flowering species fondly known as the New England Aster or Michaelmas Daisy. We offer the following choice varieties:	, 5		
Barr's Pink. 4-5 ft. Flowers large and the best pink; vigorous	. .15	1.25	•••••
cultivation.		1.00	8.00
Climax. 4-5 ft. Tall pyramidal spikes of large, light lavender-blue flowers. Good cut flower		1.00	

Erica. 2 ft. Semi-double, clear pink				
mauve			Per 10	Per 100
mauve	pink.	.10	.90	7.00
ender	mauve.	.10	.90	•••••
Sam Benham. 4-5 ft. The best white Michaelmas Daisy; large flowers, fine for cutting	ender	.12	1.00	8.00
america. 3 ft. Great trusses of delicate lilac pink blooms; very fragrant; outstanding. Prefers moist rich soil and sun or semi-shade	Sam Benham. 4-5 ft. The best white Michaelmas Daisy; large			
of the best of the large Astilbes. The graceful plumes of rich crimson purple and violet in July and August produce spectacular effects in the hardy border, rock garden and water garden	—america. 3 ft. Great trusses of delicate lilac pink blooms; very fragrant; outstanding. Prefers moist	.18	1.50	12.00
deep rose-pink flowers; very prolific	of the best of the large Astilbes. The graceful plumes of rich crimson purple and violet in July and August produce spectacular effects in the hardy border, rock garden		1.75	
*-deltoides bougainvillei. 3-4 in. Lovely trailing plant with masses of light violet flowers from April to June. Loves to droop over rocks or low walls	deep rose-pink flowers; very pro-	.18	1.50	12.00
pink flowers	*-deltoides bougainvillei. 3-4 in. Lovely trailing plant with masses of light violet flowers from April to June. Loves to droop over rocks or		1.50	12.00
3-6 in. A splendid assortment of colors	*-Rose Queen. 4-6 in. Delightful rose- pink flowers.	.18	1.50	12.00
go). 3 ft. Spikes of dark blue flowers in June; good for cutting	3-6 in. A splendid assortment of	•	1.00	8.00
*-monstrosa. 6 in. Large flowers which 'make dainty bouquets. Either double pink or double white	go). 3 ft. Spikes of dark blue flow-		· .65	
*BELLIUM bellidiolides (Alpine Daisy). 3 in. A dainty little miniature daisy that throws out runners and forms a wide mat covered all summer with tiny white flowers	*-monstrosa. 6 in. Large flowers which make dainty bouquets. Either dou-		.90	·
Daisy). 3 in. A dainty little miniature daisy that throws out runners and forms a wide mat covered all summer with tiny white flowers			1.00	
tonia). 4-5 ft. A myriad of pink, lavender-tinted flowers from July until frost. Very showy, good for	Daisy). 3 in. A dainty little miniature daisy that throws out runners and forms a wide mat covered all		5 1.2 5	
	tonia). 4-5 ft. A myriad of pink, lavender-tinted flowers from July until frost. Very showy, good for	•	.75	6.00

30 IIIE W251M			
BUPHTHALMUM salicifolium (Willowleaf Oxeye). 2 ft. Large golden	ach :	Per 10	Per 100
yellow flowers all summer	.12	1.00	8.00
*CALLIRHOE involucrata (Low Poppy-mallow). 1 ft. A trailing plant; large saucer-shaped flowers of bright rosy crimson with white centers produced all summer	.15	1.25	10.00
*-vulgaris. The Heather is truly one of the most beautiful plants grown. It is a handsome shrub of dense, feathery, green growth that breaks into exquisite masses of flowers of the utmost delicacy; likes well drained, sour soil, sun, and a good share of moisture. We offer the following varieties:			
alporti. 1-2 ft. Crimson flowers, bright green foliage.	.48	4.00	30.00
aurea. 1-2 ft. Yellow foliage, pink flowers. humilis. 1-2 ft. Rich green foli-	.48	4.00	30.00
age; tiny white flowers	.48	4.00	30.00
nana compacta. 7-8 in. Prostrate and compact in growth, dull rich green foliage and pink flowers; very dainty.	.48	4.00	30.00
rosea. 1-2 ft. Rosy-pink flowers bright green foliage		4.00	30.00
rubra. 1-2 ft. Deep rosy carmine flowers.		4.00	30.00
CAMPANULA (Bellflower) *-carpatica. 8-10 in. Large cupshaped blue flowers all summer. Called the Carpathian Harebell	.12	1.00	8.00
*-elegans. 18 in. Blue flowers all summer.	.12	1.00	8.00
*-garganica. 4-6 in. A gem for the rock garden; forms a low spreading tuft; covered in June with myriads of starry light blue flowers. Exquisite rock plant.	.18	1.50	12.00
*-glomerata. 18 in. Large flower heads of light blue during June and July.	.18	1.25	10.00
—medium (Canterbury-bells). 2-3 ft. The numerous branches are crowded with deep bells in spring and early summer. Mixed colors, including blue and rose. These Canterbury-bells are biennials and are fine for cutting.	.09	.75	
*-muralis. 6-9 in. Profusion of bluish purple flowers in June. Ideal for stone walls and the rockery			
Stone wants and the lockery	.14	1.00	0.00

—persicifolia (Peachleaf Bellflower). 3 ft. Large blue saucer-shaped flow-			Per 100
ers from May to July	.12	1.00	8.00
—persicifolia grandiflora coerulea. 2 ft. Large bright blue flowers; very attractive.	.12	1.00	8.00
-persicifolia Telham Beauty. 2 ft. Large bells of beautiful china blue.	.15	1.25	10.00
*-pusilla. 4-6 in. A gem for the rockery; lilac blue flowers from June to September.	.20	1.75	
*-rotundifolia (Blue Bells of Scotland or Harebells). 1 ft. Clear blue flow- ers from June to September	.12	1.00	******
—trachelium (Coventry-bells). 2-3 ft. Beautiful drooping purple bells from July to September; very hardy.	.20		
CARNATION (Hardy Carnations) —Chaubaud Mixed. 12 in. A fine strain of Carnations for the border;			•••••
mixed colors; ideal for cutting —Chaubaud Rose. 12 in. Soft rose	.12	1.00	
flowers.	.12	1.00	
-Grenadin Scarlet. 12 in. Large scarlet-red flowers.	.12	1.00	8.00
-Kelway's Yellow. 8-10 in. Delightful yellow flowers all summer; fragrant and fine for cutting.	.12	1.00	•••••
CENTAUREA (Knapweed) —dealbata. 2 ft. Large and striking rose-pink flowers in June and July.	.12	1.00	8.00
macrocephala (Globe Centurea). 3-4 ft. Large golden-yellow flowers in July and August; exceptionally fine for cutting.	ΛQ	75	6.00
—montana (Mountain-blue). 2 ft. Large violet-blue flowers from July	•••	.10	0.00
to September.		1.00	******
CEPHALARIA tatarica (Giant Scabious). 5-6 ft. Tall growing; flat heads of showy creamy white flowers during July and August. Good for cutting.		1.00	8.00
*CERASTIUM tomentosum (Snow in Summer). 8-10 in. Pretty silvergray foliage; covered during the summer with a shower of pure white flowers.	.10	.90	7.00
*CHEIRANTHUS allioni (Siberian Wall-flower). 1 ft. An interesting biennial with a great profusion of fragrant fiery orange flowers in the		400	10.00
spring.	.15	1.25	10.00

CHELONE BARBATA—See Pentstemon Barbatus.

	ach :	Per 10 I	Per 100
CHRYSANTHEMUM —Hardy Garden Varieties. 2-3 ft.			
Gorgeous autumn-blooming plants			
with a profusion of bright colored			
flowers. The following are popular and dependable varieties:			
Boston. Bronze-orange	.15	1.25	
Edina. Rosy pink		1.25	
Mrs. Albert Phillips. Beautiful single pink, late blooming	.15	1.25	
Mrs. F. H. Bergen. Large pale		1.20	*******
pink with deep pink centers	.15	1.25	
October Girl. Clear pink-rose Ruth Cumming. Rich reddish	.15	1.25	•••••
bronze softly shaded with terra-			
cotta. Tints of Gold. Large golden yel-	.15	1.25	••••••
low flowers, a good early variety	.10	.90	
—Pompon Button Chrysanthemums.			
15-18 in. The varieties in this clas-			
sification usually produce billowy			
clusters of flowers less than 2 inches in diameter. They are very dainty			
in the garden and produce wonder-			
ful cut flowers.			
Bronze Doty. Handsome bronze flowers.	.15	1.25	10.00
Button Bronze. Very small bronze		2.20	
flowers.	.15	1.25	10.00
Button Yellow. Tiny clusters of yellow flowers.	.15	1.25	10.00
Captain R. H. Cook. Deep rose; very fine.	•=		
very fine. Mrs. H. Harrison. Small, with	.15	1.25	10.00
light pink blooms	.15	1.25	10.00
light pink blooms. Pink Doty. A good pink variety.	.18	1.50	
White Doty. Large white flowers. Yellow Doty. A dainty yellow		$1.50 \\ 1.50$	•••••
	.10	1.50	••••••
-Single or Daisy Flowering Chrysan- themums. 18-24 in. Contrasting in			
shape of blooms, these varieties add			
a most interesting and delightful			
touch to the garden and produce wonderful cut flowers.			
Araby. Large white.	.15	1.25	
Bertha Fairs. Brilliant rose-pink.	.20		•••••
Bronze Buckingham. Glowing	1 2	1.50	
bronze	.15	1.25	10.00
Dainty. Early; orange		1.25	•••••
Dazzler. Scarlet; our best single Chrysanthemum.	15	1.25	10.00
Joyce Strowlger. Bronze salmon-	.10	1.20	10.00
pink.	.18	1.50	•••••
Mrs. Calvin Coolidge. Lovely cardinal red.	.18	1.50	12.00
Mrs. John Stewart, Jr. Bronze	.18	1.50	12.00
Sarah. Single yellow	.18	1.50	•
Heavy 2 year Field Grown Plants at prices named for Fall and Spring			
Delivery.		100	
All of the above Chysanthemums,			
in addition to some other varieties, in 2½ in. pots for Spring, 1936	ΔΩ	75	6 00
in 2/4 in pola for ahring, 1300	,UJ	61,.	0.00

	Each	Per 10	Per 100
—Species of Chrysanthemums, including the Maximum Flowering varieties. The following varieties are admired for their striking vigor and boldness of bloom; very free flowering, and desirable for cut flowers: Alaska (Shasta Daisy). 2-2½ ft A decided improvement on the original, with blooms 4½ to sinches across. Very free flowering all summer and autumn	- - - - - - 5	.75	6.00
*-Arcticum (Arctic Daisy). 12-18 in. Attractive rosette-like clumps covered with pure white single flowers measuring 2 to 2½ inches across from September to November 12-18.	3 8 8		
ber. Coreanum (Korean Daisy). 2-3 ft Remarkable introduction from Korea. Large white flowers with golden centers resembling a glori- fied daisy, frequently becoming pink tinted. Very hardy; blooms from September until late Novem-	10	.90	7.00
ber. Mrs. C. Lothian Bell. 2-3 ft. Magnificent white flowers often measuring 6 inches across from June	10 - -		
to August. CLEMATIS integrifolia. 3 ft. Handsome shrub-like variety of the Clematis family; pretty blue flowers in June and July.	- I		
CONVALLARIA majalis (Lily-of-the Valley). 8 in. The true variety with pretty little bells of pure white in early spring. Most dainty and charming.	l 	1.25	10.00
corrections opening the correction opening of the bouquet.	- : !		
*CORYDALIS cheilanthifolia (Chinese Corydalis). 10 in. Fernlike foliage; long spikes of yellow blossoms in the spring. Prefers rich well drained soil; does well in shade Very rare.	·	1.50	•
CRUCIANELLA (Crosswort) *-stylosa. 10-12 in. A fine creeper for the rockery. The flowers are pink ball-shaped, blooming from May until Autumn.	: L	.90	
*-stylosa carminea. 10-12 in. A new variety with brilliant carmine-red flowers.		.90	
DELPHINIUM (Hardy Larkspur) —Belladonna. 2½-3 ft. Bright sky- blue flowers from June to August. Attractive in the border and as cut			•
flower,		.90 ·	. 7.00

-Belladonna Cliveden Beauty. 3-4 ft. A splendid improved form of Belladonna with extra large flowers of vivid light blue on well developed stems practically all summer			Per 100
—Bellamosum. 2½-3 ft. Large single flowers of deep indigo blue. A fine cut flower.	.10	.90	
—chinese. 1½-2 ft. Clear, deep blue flowers from June to September excellent for cutting		1.00	8.00
—elatum "Iceberg". 4 ft. A new outstanding introduction. The white flowers form 20-inch spikes on tall stems; highly effective when used among the blue varieties.	.18	1.50	
-English Hybrids. 4-6 ft. Many exquisite shades and fine long spikes of flowers from June to August	.15	1.25	10.00
-Kelway's English Hybrids. 4-6 ft. A very fine selected strain	.25	2.00	17.00
DIANTHUS (Pinks) *-alpinus. 4 in. Bright pink flowers in May.	.20	1.75	•••••
*-alpinus alwoodi. 4-6 ft. A rock garden gem with attractive glossy leaves; during July and August a profusion of large flowers in various shades of rose and pink.	.18	1.50	
*-arenarius. 6 in. A shower of lacy white flowers delicately tinted with lavender in June.	.20	1.75	*
—barbatus (Sweet William). 2 ft. Old favorites, bearing their sweet, clove-scented flowers in the greatest profusion during May and June. They are indispensable for the border and for cutting. The following varieties are usually treated as biennials:			
Holborn Glory. A large flowered auricula-eyed type with brilliant colors. Newport Pink. The best of the	.09	.75	6.00
salmon pinks.	.09	.75	6.00
Nigrescens. Rich velvet maroon. Scarlet Beauty. Scarlet flowers	.09 .09	.75 .75	
*-caesius (Cheddar Pink). 6 in. The true cushion pink; compact growing; fragrant rosy pink flowers in May and June.	.12	1.00	8.00
*-caesius flore pleno. 6 in. Double flowering variety of the Cheddar Pink.	12	1 50	19 00
*-deltoides albus. 4 in. A profusion of tiny white flowers in June and July.			
	_ •		

		
Each 1	Per 10	Per 100
*-deltoides Brilliant. 4 in. Myriads of crimson-red flowers in June and July .12	1.00	8.00
*-plumarius Beatrix. 10-12 in. This is the true strain; double salmonpink flowers from May to November	1.00	8.00
*-plumarius semperflorens. 10-12 in. Pretty frilled and brightly colored flowers on glaucous foliage. A fine mixture of vivid and pastel colors12	1.00	8.00
DICENTRA (Bleeding Heart) *-eximia. 15 in. Finely cut foliage and cherry-red heart shaped flow- ers all summer	1.25	•••••
—spectabilis. 2 ft. The old fashioned favorite that is such a show in the border	2.00	17.00
DIGITALIS (Foxglove) ambigua. 3 ft. A vigorous plant with yellowish flowers marked with brown	1.50	••••••
—Giant Shirley Hybrids. 3 ft. Large spikes of bright pastel shades. Biennials	1.00	••••••
DORONICUM (Leopardbane) *-caucasicum. 18 in. Large clear yellow daisy-like flowers in early spring. Excellent cut flowers	2.50	18.00
—plantagineum excelsum. 2 ft. Golden yellow flowers of large size in April and May. Fine cut flowers38	3.00	20.00
ECHINACEA purpurea (Purple Coneflower). 3 ft. Handsome large purple flowers with brown cone centers from July to early autumn. Very showy	1.00	8.00
ECHINOPS ritro (Steel Globethistle). 3-4 ft. Attractive border plant with metallic-blue flowers from July to August	1.00	•••••
*ERICA carnea (Spring Heath). 18 in. Delightful bright rose flowers in early spring. Companion to Calluna48	4.00	•••••
ERIGERON (Fleabane) *-alpinus. 8 in. Attractive heads of lilac-purple flowers from May to August	1.50	12.00
*-aurantiacus (Orange Fleabane). 1 ft. Pretty orange colored daisy-like flowers from June to August	1.50	. ••••••
—speciosus. 2 ft. Lilac-blue flowers from June to August. Good for cutting	.90	7.00

ERINUS (Liver-Balsam)	ach P	er 10	Per 100
*-alpinus albus. 6 in. Compact dwarf evergreen foliage with white flow- ers in May and June.	.12	1.00	8.00
*-alpinus roseus. 6 in. Rosy-purple flowered variety.	.15	1.25	10.00
*-Dr. Hanelle. 6 in. A charming variety with crimson flowers	.18	1.50	12.00
ERYNGIUM a methystinum (Sea Holly). 2 ft. Violet-blue flowers in July and August.	.12	1.00	·····•
EUPATORIUM coelestinum (Mistflower). 18-24 in. Lavender-blue flowers from August to frost. Resembles Ageratum.	.09	.75	6.00
*EUPHORBIA polychroma (Spurge). 1 ft. Yellow flowers in May and June	.25	2.00	17.00
*FESTUCA glauca (Blue Fescue). 8 in. Dwarf ornamental grass with distinct blue-green foliage.	10	.90	7.00
GAILLARDIA (Blanket Flower)			
-Dazzler. 3 ft. Showy, large yellow-red flowers during summer and autumn.	.10	.90	7.00
—grandiflora. 3 ft. Red flowers with yellow borders during summer and autumn.	.10	.90	7.00
—Portola Hybrids. 3 ft. A selected strain of large flowers from reddish bronze to deep gold. Fine cut flowers.	.09	.75	6.00
*GALIUM verum (Bedstraw). 15 in. Yellow flowers from July to September.	.15	1.25	10.00
GERANIUM (Crane's Bill)			
—pratense. 2-2½ ft. Large blue flowers from June to September.	.12	1.00	•••••
*-sanguineum. 15-18 in. Crimson flowers all summer.	.12	1.00	8.00
GEUM (Avens) *-heldreichi. 12-15 in. Bright orange flowers all summer.	.15	1.25	10.00
*-Lady Stratheden. 18 in. Large double yellow flowers all summer	.12	1.00	8.00
*-Mrs. Bradshaw. 18 in. Large double bright scarlet flowers all summer.	.12	1.00	8.00
*-Orange Queen. 18 in. A new intro- duction with a striking shade of or- ange; flowers double.	.18	1.50	•••••
*-Prince of Orange. 18 in. A novelty of merit. Fine orange blossoms on long stems in July and August	.18	1.50	

WESTMINSTER, MARYLAND			45
*GLOBULARIA trichosanthes (Syrian Globedaisy). 8 in. Beautiful laven- der flower heads. Makes a bril-	ach	Per 10	Per 100
der flower heads. Makes a brilliant picture in the rockery	.15	1.25	10.00
GYPSOPHILA (Babysbreath) —Bristol Fairy. 2-3 ft. New fine double variety; the billows of snowy white flowers bloom all summer. Very excellent for cutting and drying. for bouquets	.30	2.50	20.00
—paniculata. 2 ft. Covered with tiny, single white, mist-like flowers in June and July.	.09	.75	6.00
HELENIUM (Sneezeweed)			
—autumnale. 3 ft. Bright yellow flowers in the autumn	.18	1.50	12.00
—autumnale rubrum. 3 ft. Bronze-red flowers from July to October	.18	1.50	12.00
—autumnale superbum. 3-5 ft. Splendid golden yellow flowers from July to October.	.12	1.00	8.00
—Riverton Beauty. 3-4 ft. Lemon yellow flowers in early autumn	.15	1.25	•••••
*HELIANTHEMUM chamaecistus mutabile (Fickle Sunrose). 12 in. Excellent for the wall or rockery; produces a wealth of multi-colored flowers throughout the early summer. Likes the sun	.10	.90	7.00
flowers in July and August. A useful cut flower	.10	.90	7.00
HEMEROCALLIS flava (Lemon Day- lily). 2-3 ft. Sweet scented, clear full yellow flowers in June.	.18	1.50	12.00
HESPERIS (Sweet Rocket) —matronalis. 3 ft. Fragrant purple flowers in June	.10	.90	7.00
—matronalis alba. 3 ft. Splendid white variety.	.10	.90	7.00
HEUCHERA (Coralbells) *-brizoides gracilina. 15 in. A profusion of deep coral red flowers on graceful erect stems during July			
*-sanguinea. 15 in. Beautiful coral crimson flowers.			
*-sanguinea alba. 15 in. Delightful white flowered variety.			
*-sanguinea Pleu de Feu. 15 in. Strik- ing bright fiery red flowers		3 1.50	12.00
*-sanguinea splendens. 15 in. Pinkish crimson flowers, nice for cutting		3 1.50	12.00

44 IND WESIM	1110		714022142
HIBISCUS Mixed (Mallow). 4 ft. quick growing and shrubby; bears quantities of large flowers, like single Hollyhocks, in the autumn. Mixed			Per 100
HOLLYHOCKS. 6-8 ft. Stately, majestic hardy plants; a necessary part of every old-fashioned garden. Colossal spikes of bloom in summer. The following varieties offer the best colors and vigorous plants: Allegheny. Mammoth flowers with fringed petals, all colors, single. Double Crimson Double White Double Yellow Newport Pink. Semi-double.			
All of the above Hollyhocks HORMINUM pyrenaicum. 1 ft. Bluish purple flowers on leafless			
spikes in summer. HOSTA undulata variegata (Funkia; Plantainlily). 18-24 in. Graceful variegated leaves and light lilac-	.15	1.25	10.00
blue flowers in July and August HYPERICUM (St. Johnswort) —henryi. 2-3 ft. Golden yellow flow-	.12	1.00	8.00
ers in late summer and early autumn. *-moserianum. 18 in. Large, rich	.18	1.50	••••••
golden-yellow flowers blooming continuously through summer* *-polyphyllum. 8 in. A shower of	.18	1.50	•
bright yellow flowers on pretty trailing foliage. Fine for the rocks *-reptans. 6 in. Fine prostrate, trailing rock plant with masses of clear	.15	1.25	••••••
golden yellow flowers in July and August.	.15	1.25	10.00
IBERIS (Candytuft) *-gibraltarica. 8 in. Handsome dark green foliage surmounted with heads of delicate lilac flowers in			
*-sempervirens. 8 in. Evergreen foliage which is delightfully hidden by dense heads of pure white flow-	.15	1.25	•••••
ers in May and June	.12	1.00	8.00
Easily grown; likes sun. Ambassadeur. Velvety purple	.15	1.25	10.00

Archeveque. Deep rich purple-	ach	Per 10	Per 100
violet	.09 .09	.75 .75	
Lent A. Williamson. Violet and			
purple	.12	1.00	8.00 6.00
Prosper Laugier. Bronze to vel-	.03	.10	0.00
vety ruby-purple, white and yel-		~~	
low. Queen Caterina. Purple and gold	.09	.75	6.00
to white and bronze	.12	1.00	8.00
Rhein Nixe. White and violet	.09	.75	6.00
Shekinah. Pale yellow shading to amber on the throat	.12	1.00	8.00
W. J. Fryer. Shadings of bright			
yellow, maroon and violet	.12	1.00	******
-kaempferi (Japanese Iris). 2 ft. For			-
striking beauty, gracefulness, and gorgeousness of bloom, this plant			
is unexcelled. Avoid lime in the			
soil and give a light protection in			
winter with straw or leaves. The following varieties create delightful			
pictures:			
Astarte. Double, dark violet	.18	1.50	12.00
Circe. Double, dark violet blue lined with white.	15	1.25	10.00
Eleanor Perry. Double claret-red	.10	1.20	10.00
Eleanor Perry. Double claret-red with white and blue	.15	1.25	10.00
Gold Bound. Double pure white; creamy glow at the gold-banded			
center.	.15	1.25	10.00
Mahogany. Large double purple			
to mahogany red. Latest to bloom.	.18	1.50	12.00
Melpomene. Double soft blue	.15	1.2 5	10.00
Purple and Gold. Double rich violet purple with white petal-			
oids, tipped with violet; golden			
throated. Ski-no-ryo. Double blue and	.15	1.25	10.00
white	.15	1.25	10.00
-pumila (Dwarf Iris). 8 in. Fine			
dwarf Iris that is well placed in			•
the rock garden or the border. Good			
for edging. The following varieties are hardy and colorful:	.0	•	
Excelsa. Pure lemon-yellow	.20		•••••
Excelsa. Pure lemon-yellow	.18	1.50 1.50	
	•10	. 1.00	*******
-siberica Blue King (Siberian Iris) 3 ft. Stately, regal blue flowers; a			
gem for the flower border or water-			
side. The flowers are produced in great abundance on stout, stiff			
stems. Excellent for cutting	.12	1.00	8.00
		1.00	2.00
-tectorum (Roof Iris). 10 in. A de- lightful species from Japan and			
China where it is frequently grown			
on the thatched roofs of the cot- tages. The blue flowers in June are			
delicately crested.	.15	1.25	10.00

, E	ach I	Per 10 P	er 100
*JASIONE perennis (Sheep's Scabious). 12 in. Small bells of dainty lavender-blue in June and July. Likes sun or partial shade	.12	1.00	
LATHYRUS latifolius Mixed (Perennial or Everlasting Swee Pea). 3 ft. Various delightful shades. Does well at the seashore	.09	.75	6.00
*LAVANDULA vera (Sweet Lavender). 18 in. The beloved old-fashioned garden plant; delightfully fragrant lavender flowers from July to September.	.12	1.00	8.00
*LEONTOPODIUM alpinum (Edel- weiss) 5 in. Silvery white leaves and starlike heads clothed with a dense white woolyness; prettiest in June. One of the most famous plants from the European Alps	.18		
LIATRIS (Gayfeather) —pycnostachya. 4-5 ft. Long spikes of rich purple flowers all summer	.12	1.00	8.00
—scariosa. 4-5 ft. Large showy purple heads in September.	.12	1.00	•••••
LINUM (Flax) *-perenne (Perennial Flax). 15 in. Pale blue flowers all summer on graceful stems; pretty foliage	.09	.75	6.00
*-perenne album (White Perennial Flax). 15 in. White form of the above. Very attractive.	.12	1.00	•••••
LOBELIA —cardinalis (Cardinal flower). 2-3 ft. A handsome robust border plant producing many spikes of rich, fiery cardinal flowers from July to September. Thrives in any ordinary garden soil but does best in a moist deep loam.	.18	1.50	
-siphilitica (Large Blue Lobelia). 3 ft. Moisture loving plant with dark blue flowers streaked with white. Desirable near the brook or lake		1.25	10.00
LUPINUS polyphyllus Hybrids (Lupine). 3 ft. Bold massive spikes of pea-shaped flowers; colors are both rich and delicate; sweet scented		1.00	
LYCHNIS (Campion) —chalcedonica (Maltese Cross). 3 ft. Heads of vivid scarlet flowers all summer. One of the brightest plants in the hardy border		1.00	
*-viscaria splendens. 1 ft. Deep green foliage with pink flowers in June and July.		1.00	

WESTWINSTER, WARTERING			
*MATRICARIA Little Gem (Fever- few; False-camomile). 1 ft. A splendid border plant with large double white flowers from June to October. Valuable for cut flowers		•	Per 100
*MAZUS reptans (rugosus). 1-2 in. A dwarf and interesting Alpine plant, close tufted, covered in early spring with dainty lilac flowers with a small white lip; creeping. Likes a sheltered partial shady spot	.12	1.00	8.00
MONARDA Hybrids (Bergamot). 2-3 ft. Flower heads of many pretty shades during July.	.09	.75	6.00
*MYOSOTIS palustris semperflorens (Forget-me-not). 6 in. The most popular hardy Forget-me-not. Ideal in the rockery or for colorful display in the low border. A continuous shower of bright blue in spring and summer. Likes moisture and some shade		.75	6.00
*NEPETA mussini (Catmint). 8 in. Compact with fragrant silvery gray foliage and hundreds of small laven- der-blue flowers in June and July	.12	1.00	8.00
*NIEREMBERGIA rivularis (White- cup). 4 in. Dwarf creeping plant bearing large, creamy white, cup- shaped flowers from June to Sep- tember. Likes moisture and partial shade			
OENOTHERA (Evening Primrose) *-fraseri. 12 in. Pale yellow flowers, June-October	.12	1.00	8.00
*-missouriensis. 6 in. A rugged beauty with leathery leaves from which arise golden yellow flowers from June until August		1.00	8.00
*-speciosa. 18 in. Pure white flowers 3 inches across in great quantities all summer		1.00	8.00
—youngi. 2 ft. A strong, large-leaved plant with numerous bright lemon-yellow flowers from June to August.		1 00	8.00
PACHYSANDRA—See Broadleaved E			
*PANSY Choice Swiss Giants. 6 in. Very fine strain of many beautiful colors. These are the biennials of the Viola family. Bloom from spring to autumn			
PAPAVER (Poppy) *-nudicaule (Iceland Poppy). 1 ft. Dainty cup-shaped flowers in delightful shades from white to orange are profusely borne on graceful	:		
stems amidst neat tufts of bright green foliage all summer.	.15	5 1.25	

TILL WESTM	11101	I III I I O	I JIII
77		D 10 T	2 100
*-nudicaule Coonara Shades (Iceland	acn .	Per 10 I	er 100
Poppy). 1 ft. A new blending of			
colors from pink to apricot; spring			
and summer. Fine for cutting.	19	1.00	9 00
Likes the sun	.12	1.00	0.00
-orientale (Oriental Poppy). 3-3½			
ft. Nothing quite equals the Oriental Poppy for gorgeous display and			
brilliant coloring during May and			
June. Mulch lightly with litter in			
the autumn. The following varie-			
ties are noted for their size and brilliance of bloom:			
Beauty of Livermore. Huge vel-			
vet-crimson flowers; very showy	.15	1.25	•••••
Mrs. Perry. Apricot-orange ting-			
ed with pink. The best "Pink	15	1 05	
Poppy"	.13	1.25	•••••
ed blooms of brightest crimson-			
scarlet with large purplish	40	4.00	
blotches at base of petals	.12	1.00	•••••
sating white with a splash of			
crimson-maroon at the base of			
each petal	.15	1.25	•••••
PENTSTEMON (Beard Tongue)			
-barbatus torreyi. 2 ft. Spikes of			
bright scarlet flowers from June un-	4 P	1.05	
til August.	.15	1.25	•••••
*-Large Flowering Hybrids 15-18			
in. A fine strain freely producing			
flowers of good clear colors in the summer.	15	1 95	10.00
summer	.10	1.20	10.00
-pubescens. 24 in. Neat border plant			
with white flowers that are tinted with blush and lavender	19	1.00	8 00
with blush and lavender	.12	1.00	0.00
PEONIES. 2½-4 ft. The pride of			
all gardens, handsome of foliage and gorgeous of bloom; May and June.			
We have excellent varieties in			
white, pink and red	.15	1.25	10.00
PHLOX			
—decussata (Hardy Garden Phlox).			
2-3 ft. These beautiful hardy border			
plants are most effective and useful			
in late summer and early autumn, with their bright colors and freedom			
of bloom. The following varieties			
have proven to be dependable and			
among the best grown.			
Antonin Mercie. Delicate lilac-	09	.75	
blue. B. Comte. Tall growing with	•••	•••	*******
large heads of amaranth-red			
flowers	.09	.75	******
son with slightly darker eye,			
blooms profusely	.15	1.25	•••••
Elizabeth Campbell. Salmon pink	.15	1.25	•••••

	er 10 P	er 100
Enchantress. Bright salmon-pink with dark eye	1.00	•••••
Jules Sandeau. Brilliant water- melon-pink	1.25	
melon-pink	1.00	•••••
Mrs. Jenkins. Pure white, free-flowering	1.00	
Mrs. Milly von Hoboken. Pink with delicate mauve suffusion	1.00	•••••
Mrs. Scholten. New dark salmon pink	1.25 .90	
Painted Lady. Silver pink, salmon and cherry red	.90	•••••
Rhinelander. Large heads of salmon pink	1.00	•••••
R. P. Struthers. Rosy carmine with claret-red eye	.90	•••••
clusters	.90	
Thor. Deep salmon-pink, scarlet glow; small analine-red eye	.90	•••••
Von Lassburg. Tall, large pure white	.90	•••••
*-subulata (Moss Phlox or Mountain Pinks). 2 in. Early spring-flowering type with pretty, mosslike, evergreen foliage which, during the flowering season in April and May is hidden under the masses of bloom; excellent for the rockery, the border and invaluable for carpeting. We have selected varieties which assure vigor and beauty in color range.		
Alba. Pure white flowers	1.50	12.00
Atropurpurea. Deep carmine-red; brilliant	1.50	12.00
Fairy. Pale blue flowers; dainty .12	1.00	8.00
G. F. Wilson. Bright lilac	1.00	8.00
Lilacina. Light lilac	.90	7.00
Rosea. Rosy pink; fine for cover-	.75	
ing banks		
-Various Phlox Species *-amoena (Amoena Phlox). 4-6 in. One of the best varieties for carpeting the ground or the rocks; covered in the spring with bright pink flowers		•
*-divaricata canadensis. 10 in. Dainty native variety commencing to bloom in April and continuing through May, with large fragrant, lavender flowers	1.00	8.00
*-ovata (carolina) (Mountain Phlox). 12 in. Bright rosy red flowers in June and July	1.00	8.00
—suffruticosa Miss Lingard. 2 ft. Flowers white with faint pinkish lavender eye; blooms all summer .09	.75	6.00

PHYSALIS francheti (Chinese Lantern). 2 ft. Very ornamental, producing freely bright orange-scarlet,	ach	Per 10	Per 100
lantern-like fruits; when cut will last all winter	.07	.65	5.00
PHYSOSTEGIA virginica grandiflora Vivid (False Dragonhead). 18 in. Large deep pink flowers in August and September. Splendid for cutting	.10	.90	7.00
PLATYCODON (Balloonflower) —grandiflorum. 20 in. Large, showy			
deep blue flowers produced all summer; bell-shaped when open	.09	.75	6.00
-grandiflorum album. 20 in. Excellent white form	.09	.75	6.00
*PLUMBAGO larpentae (Leadwort). 1 ft. Blue flowers late summer and early autumn; spreading habit	.15	1.25	10.00
*POLEMONIUM *-caeruleum (Greek-valerian). 18 in. Blue flowers with golden center in May and June. Likes sun. Also			
called Jacob's Ladder			
*-caeruleum album. 18 in. White form *-reptans. 6 in. Dainty creeping	.15		• • • • • • • • • • • • • • • • • • • •
plant with showy blue flowers in early spring	.15	1.25	10.00
*-Richardsoni. 18 in. Masses of beautiful sky-blue blossoms in June	.12	1.00	8.00
POTENTILLA (Cinquefoil)			
*-matsumurae. 3 in. Lovely dwarf, richly covered with yellow flowers during May and June. Likes the sun	.15	1.25	10.00
*-rupestris. 1 ft. Clusters of clear white flowers	.12	1.00	8.00
PRIMULA (Primrose). Most beautiful and interesting early spring flowers. Plant them in rich, well-drained soil in the border or in a sheltered nook in the rockery; if possible in a half-shady place. Suitable too, for the waterside.			
*-auricula Giant Hybrids. 8 in. Pleasing shades of color; attractive light green foliage	.18	1.50	12.00
*-auricula Kelway's Showy Border. 8 in. Choice mixture; large flowered; many pretty shades			
*-veris Barr's Exhibition Reds. 8 in. A fine selection including bright	40	1 50	10.00
*-veris elatior. 1 ft. The true Conti-	-		12.00
tinental Oxlip; clear yellow flowers. *-veris Hybrids. 1 ft. Various shades	.15	1.25	•••••
of lilac, purple violet, buff, orange salmon and rich reds.	.15	1.25	10.00

· · · · · · · · · · · · · · · · · · ·			
	ach]	Per 10 1	Per 100
*-veris polyantha Gold Laced. 1 ft. Selected from mottled and bicolor			
Selected from mottled and bicolor types of Polyanthus Primrose; fine	12	1 05	10.00
mixture of colors.	.15	1.25	10.00
*-veris Yellow. A remarkable new			
strain showing a deep burnt orange color.	.18	1.50	12.00
PYRETHRUM (Painted Daisy)			
—grandiflorum. 2-2½ ft. Showy flow-			
ers of all shades of color except			
blue and yellow, produced freely all summer, particularly in May and			
June. The foliage is neat and fine-	4.0	0.0	5 .00
ly cut.	.10	.90	7.00
-James Kelway. 2-2½ ft. Very fine			
strain with large single, daisy-like flowers.	.15	1.25	10.00
		,,	
RANUNCULUS acris flore-pleno (Buttercups). 18-24 in. Double yellow			
flowers; upright growing; of easy			
culture, especially in moist places; a good cut flower.	.12	1.00	8.00
		2.00	
RUDBECKIA (Coneflower) —laciniata Goldenglow. 6-7 ft. Very			
showy border plant producing mass-			
es of large, double golden flowers in late summer.	09	.75	
	•••	•••	••••••
-newmanni. 3 ft. Perennial form of the Black Eyed Susan. Deep orange-			
yellow flowers with a purplish black	•		
cone; blooms all summer	.09	.75	6.00
-purpurea (Purple Coneflower)—See			
Echinacea purpurea.			
SALVIA (Sage)			
—farinacea (Mealycup Sage). 30 in. Long spikes of light blue. Needs			
winter protection.	.12	1.00	••••••
-pitcheri. 3-4 ft. Large flowers of			
rich gentian blue, branching habit.		1.00	8.00
-patens (Gentian Sage). 2 ft. Fine,			
blue flowers from June to Septem-		00	
ber.	.10	.90	*******
*SANTOLINA incana (Lavender Cot-			
ton). 1 ft. Evergreen, delicate, silver-white, foliage; very fragrant.			
Largely used for edgings to flower			0.00
beds or walks.	.09	.75	6.00
*SAXIFRAGA McNabiana (Rockfoil).			
1 ft. Splendid for the wall garden or in crevices in the rock garden;			
gray-green foliage arranged in ros-			
ettes. Bears during May and June spikes set with small white flowers			
speckled with pink.		1.75	15.00

			
SCABIOSA (Pin-cushion Flower) —caucasica. 2 ft. Slender, graceful stems hold aloft lovely flowers rang-	ach	Per 10	Per 100
ing from deep to mauve lavender from June until September	.18	1.50	•
—japonica. 2 ft. Lavender-blue flowers from July to September; biennial variety.	.18	1.50	•
SEDUM (Stonecrop). A sun-loving family of plants.			
*-acre (Goldmoss). 2 in. Miniature tufts of deep green covered with golden yellow flowers	.09	.75	•••••
*-alpinatum. 3 in. Thick waxy foliage and red stems with pink flowers	.15	1.25	******
*-anglicum. 2 in. Small minute green foliage; pink flowers in June and July.	.15	1.25	10.00
*-glaucum. 1 in. Evergreen bluish green foliage and pinkish white flowers.	.12	1.00	8.00
*-hispanicum (Spanish Stonecrop). 2 in. Delicate pink flowers and bright glaucous foliage.	.15	1.25	10.00
*-kamtschaticum. 6 in. Orange-yel- low flowers in July and August, with prostrate, green foliage turn- ing golden in autumn	.10	.90	7.00
*-lineare. 6 in. Light yellowish green foliage with tiny star-shaped yellow flowers in July	.15	1.25	10.00
*-lydium. 1 in. Evergreen, with bronzy green foliage, and pink flowers.	.10	.90	7.00
*-reflexum. 6 in. Upright bluish green foliage in summer turning bronze-green in winter; yellow flow-	0.0	. 7-	c 00
*-rupestris. 2 in. Evergreen; trailing, with upright light yellow flowers			
in summer, showy foliage* *-sarmentosum. 2 in. Fast growing,	.09	.75	6.00
vigorous, trailing, one of the best to plant between stones or for edging; quickly forms a dense mat; bright green foliage and tiny yellow flowers.	no	.75	6.00
*-sexangulare. 4 in. Compact; ever- green foliage of rich dark green with yellow flowers			
*-sieboldi. 6-9 in. Round, succulent, glaucous foliage; brilliant pink flowers from August to September. Of-			
ten spoken of as the loveliest of all the Sedums.	.15	1.25	10.00

-spectabile. 18 in. Broad, light green foliage and immense heads of handsome, showy, rose colored flowers; indispensable as a late fall-blooming			Per 100
plant.	.09	.75	•••••
—spectabile variegata. 18 in. Variegated foliage, pink flowers	.12	1.00	•
*-spurium. 6 in. Evergreen leaves; purplish pink flowers in July and August. Excellent in the rockery and on sandy banks	.10	.90	7.00
*-spurium album. 4-6 in. A new variety with pretty white flowers; prostrate habit.	.09	.75	6.00
*-spurium coccineum. 4-6 in. Pretty trailer of deep maroon-brown color with a mass of bright red flowers in late summer. Ideal ground cover	.09	.75	6.00
*-stoloniferum. 4-6 in. Purplish pink flowers in July and August	.10	.90	
*-ternatum. 4 in. Most satisfactory Sedum for shady places, or for ground carpeting where it is difficult to make plants grow; white flowers in May and June	.15	1.25	
SEMPERVIVUM (Houseleek) Most attractive, hardy, succulent plants for the rock garden and rock wall. Their rosette-like thick leaves are fleshy and pointed. The small clumps slowly spread, filling pockets, and crevices between the rocks. They like rich sandy and perfectly drained soil in full sun. Numerous young rosettes are continually appearing. Affectionately called Cat and Kittens and Hen and Chickens.			
*-alpha. 3 in. Neat rosettes and pink blooms.	.15	1.25	•••••
*-arachnoideum. 6 in. Small, tight rosettes, caressed by soft, silk webs; bright crimson flowers	.15	1.25	10.00
*-arenarium. 2 in. Green rosettes which change to deep brownish red in autumn; pale yellow flowers	.12	1.00	8.00
*-brauni. 2 in. Dark green foliage and red flowers.	.12	1.00	8.00
*-doellianum. 2 in. Small hairy rosettes of pale green leaves tinted red at the tips with cheerful, bright red flowers; very handsome when massed together.	.12	1.00	8.00
*-fauconetti. 4-6 in. Tiny rosettes, red flowers.	.15	1.25	10.00
*-fimbriatum. 6-10 in. Tips of the leaves crowned with tufts of hair; flowers bright red			

			
*-gamma. 8-10 in. Distinctive brown-	ach	Per 10	Per 100
ish gray rosettes	.18	1.50	••••••
*-globiferum. 6-10 in. Fat rosettes about 2 inches in diameter; pale yellow flowers.	.10	.90	7.00
*-juratense. 1 in. Very rare variety with small, dainty rosettes	.18	1.50	12.00
*-LaHarpei. 2 in. Rare; fine rosettes and yellow flowers	.18	1.50	12.00
*-pompelli. 2 in. Rare; leaves tipped handsomely with brownish red	.12	1.00	8.00
*-ruthenicum. 1-2 in. Rare; rosettes dark, dull green	.15	1.25	10.00
*-tectorum. 1 ft. Broad rosettes, the leaves having reddish brown tips; flowers are pale red. This is the common House Leek of our grandmother's garden.	.07	.65	5.00
*-tectorum rubrum. 1 ft. Broad rosettes with colorful, red tinted leaves.	.12	1.00	
*SILENE maritima (Sea Catchfly). 1 ft. Handsome bluish tinted foliage; covered with pinkish white blooms from June to August	.15	1.25	10.00
spire filipendula (Dropwort). 18-24 in. Attractive finely cut foliage with fluffy, creamy white flower heads, in June and July. Companion to the Astilbes		1.00	······
*STACHYS lanata (Woundwort). 4 in. Fine old-fashioned garden plant for edging or in the rock garden; dwarf; soft silvery foliage		.90	7.00
*STATICE latifolia (Sea-lavender). 15-18 in. Purple-blue flowers in July and August will last a long time when cut and dried		2 1.00	8.00
STOKESIA (Stoke's Aster) —cyanea. 18-24 in. Very handsome lavender-blue flowers in the summer. Likes the sun.		2 1.00	8.00
cyanea alba. 18-24 in. Pure white flowering variety.		2 1.00	
THALICTRUM (Meadowrue) —aquilegifolium. 2-3 ft. Spikes of rosy purple flowers from June to July.		2 1.00	8.00
-minus adiantifolium. 2 ft. Pretty foliage with miniature creamy white flowers in June.		2 1.00	

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

THERMOPSIS caroliniana. 2-3 ft. Rich green foliage; yellow, pea-like flowers are produced in racemes,	Per 10	Per 100
6 to 12 inches long. Very attractive .12	2 1.00	8.00
THYMUS (Thyme) *-lanuginosus (Wooly Thyme). 1 in. Small, roundish leaves and rosy lilac-pink flowers in summer	5 1.25	10.00
*-serpyllum (Mother-of-thyme). 10 in. Fragrant foliage; may be walked on freely when established or cut with the lawnmower; small purple-like flowers most all summer. Spreads rapidly.	5 1.2 5	10.00
*-serpyllum coccineus (Crimson Thyme). 10 in. Becomes completely covered with bright cherry red flowers.	2 1.00	8.00
*-vulgaris roseus. 1 ft. An old favorite with scented foliage and pink flowers in May and June; semi-trailer. A much used herb for seasoning foods.	•	
TRITOMA (Torchlily; Flame Flower; Red Hot Poker)	1.23	10.00
of brilliant orange-scarlet blooms from July to September. Very showy and greatly admired. Should have slight protection in winter	2 1.00	8.00
Selected Hardy Hybrids. 3 ft. Various colors ranging from pale yellow to deep orange; perfectly hardy12	2 1.00	8.00
*-europaeus Hybrids. 2 ft. Fine for moist, shady places. Deep green, finely cut foliage. The flowers, freely produced in May and June, are lovely shades of yellow and orange and globe-shaped. Very useful for cutting.	175	15 00
*-ledebouri Golden Queen. 2 ft. A new, superb variety, highly acclaimed in Europe and America. Extra large golden orange flowers on erect stems during May and June. A profuse bloomer and a handsome cut flower. 30		
*TUNICA saxifraga (Tunicflower or Coat Flower). 6-8 in. Pretty masses of small pink flowers of a misty appearance, all summer; attractive compact foliage		
VALERIANA (Garden Heliotrope) *-coccinea. 18 in. Showy heads of old rose flowers in umbels on 12 inch stems, just above the rich green foli- age are produced from June until	10	
October. A splendid plant for bold effects in the wall or rock garden09	.75	6.00

*-coccinea alba. 18 in. White form of		Per 10	Per 100
the above.		.75	6.00
—officinalis. 3-4 ft. Produces showy heads of rose-tinted white flowers during June and July, with delicious strong heliotrope odor		1.00	•••••
*VERBASCUM phoeniceum Hybrids (Mullein) 18 in. Delightful biennials with graceful spikes of colors ranging from white, pink, rose purple and bronze to brown. Verbascums respond as perennials, requiring a warm position and light or medium, well drained soil		.75	6.00
VERONICA (Speedwell) Beautiful hardy perennials that vary in height from a few inches to three feet and bear blue, rosy pink or white flowers in terminal spikes or racemes. Showy plants for borders or rock gardens and all of easy culture.			
*-elegans. 15-18 in. Light pink flowers during June and July	.15	1.25	10.00
*-erica rosea. 10 to 12 in. Pretty rose pink flowers in June and July	.15	1.25	10.00
*-incana. 12-15 in. Numerous blue flowers in July and August and silvery, wooly foliage; useful in rockery or for edging paths and flower beds.		1.00	8.00
—longifolia subsessilis. 2 ft. One of the handsomest blue-flowering plants; July and August. Fine for cutting.		1.25	
orchidea. 2-3 ft. Hardy variety from the Balkans. Produces a profusion of clear blue flowers from June to August.	.18	1.50	12.00
*-prostrata. 4 in. A trailing variety blooming in May with miniature spikes of light blue		1.50	12.00
*-repens. 3 in. Pretty dwarf variety forming neat little tufts of deep green. In April the tiny pale blue flowers hide the foliage) !	3 1.50	
*-Royal Blue. 10-12 in. A brilliant shade of dark blue; bushy, dwarf habit. June and July flowering	.12	2 1.00	8.00

⁵ of a variety at 10 rate; 25 of a variety at 100 rate; 250 of a variety at 1,000 rate.

*-rupestris. 4 in. From late April well into June this is a bright carpet of rich blue. A good ground-cover in	ach	Per 10	Per 100
the shrubbery border	.12	1.00	8.00
*-rupestris nana. 1 in. Deep gentian blue flowers in April and May; creeping.	.20	1.75	15.00
*-rupestris nana rosea. 1 in. Delight- ful mauve-pink flowers in April and May.	.20		•••••
—spicata. 2 ft. Long spikes of violet- blue flowers all summer; showy	.09	.75	6.00
—spicata rosea. 2 ft. Much branched variety with pink flowers.	.15	1.25	10.00
*-spuria (amethystina). 12 in. Blue flowers in long spikes during June and July.	.12	1.00	•••••
*-teucrium. 12 in. Dwarf; spreading dense growth; flowers blue in June and July.	.09	.75	6.00
*-cornuta (Tufted Pansy). 4-6 in. These charming plants differ from the ordinary Pansy by being more compact in habit and more continuous and free in flowering. From early spring to late autumn their dainty flowers create a profusion of color. The colors are varied, as in Pansies, but much more refined. They like deep, well-enriched soil, and considerable sun. Ideal for carpeting. It is well to cut back all straggling growth sometime during September.			
Gracilis Lord Nelson. Large flowers of glowing purple. Improved strain. Jersey Gem. Pure rich violet Jersey Gem White. Pure white blooms.			
*-odorata Prince of Wales (Sweet Violet). 6 in. Gloriously sweet scented rich, deep purple flowers; heavy deep green foliage. Ideal for cutting; used by florists. Does excellently in the shade	.15	1.25	10.00
YUCCA (Adam's Needle) -filamentosa. 6 ft. Broad, swordlike evergreen foliage and immense branching spikes of drooping, creamy white flowers. A bold and handsome object on the lawn or in the large rock garden. Also called			
Spanish Bayonet	.09	.75	6.00
with large white flower-spikes	.15	1.25	•••••

Fruit Trees

	APPL	ES	Don	Per	Per
		Each			1000
2 and 3 year bud	s assorted				
First class 11/16 and up		.45	4.25	40.00	***********
First class 9/16 4 ft. and up		.40	3.75	35.00	•••••
First class $7/16$ $3\frac{1}{2}$ ft. and up.		.35	3.00	25.00	••••••
First class 5/16 3 ft. and up		.25	2.00	17.50	
	Varieties of 2 y	ear Ap	ples		
Duchess	Smokehou	se	•		n Sweet
Hyslop Crab	Spitzenbu	J			Imperial
1 yr. Buds, 4 to 5	5 ft	.40	3.75	35.00	******
1 yr. Buds, 3 to 4	l ft	.35	3.00	25.00	
1 yr. Buds, 2 to 3	3 ft	.25	2.00	15.00	
7	Varieties of 1 y	ear Ap	ples		
Delicious Duchess Fall Rambo Grimes Golden Hyslop Crab Maiden Blush McIntosh	M. B. Twigg Jonathan Smokehouse Stark Spitzenburg Stayman's Win Summer Ramb	esap	Wea Win Win Yell	nan Sweetlthy ter Bana ter Para ow Trans k Imperia	na dise parent
	PRICOTS OF	N PEA	ACH		
1 year old from k 9/16 to 11/16 in.		40	3 50	30.00	
7/16 to 9/16 in.					••••••
5/16 to 7/16 in.					•••••
0/10 to 1/10 m.	Early Go		2.00	20.00	•••••
	CHEDDIE	7 G			
2 year old Buddee	CHERRIES	s, sou	Г		
No. 1 grade 11/1		.45	4.00	38.00	
Med. grade 9/16	_				
and up	••••	.40	3.50	32.50	•••••
No. 2 grade 7/16		0.5		00.50	
and up	Varieti		3.00	22.50	•••••
Early Richmo	nd ·		Mon	tmorency	
	CHERRIES	. Swee	et		
2 year old Budded		,			
No. 1 grade 11/1		.55	5.00	45.00	•••••
Med. grade 9/16 and up.		.48	4.20	38.50	
No. 2 grade 7/16					
and up		.38	3.50	30.00	•••••
	Varietie				
	Governor Wood Napoleon		Yello Wine	w Spanis dsor	sh

	PEACH	ES			
		Each	10	100	1000
Sturdy trees 1 y					
9/16 to 11/16 in.	-		3.00	25.00	225.00
7/16 to 9/16 in.	3 ft. and up.	.30	2.50	20.00	180.00
5/16 to 7/16 in.	2 ft. and up.	.25	2.00	15.00	140.00
About 5/16 in. 2	2 to 3 ft	.20	1.40	12.00	100.00
	Varietie	s			
Belle of Georgia Bracket Carman Champion Crawford's Early Crawford's Late Cumberland	Elberta Early Elberta Fitzgerald Golden Jubilee Greensboro Globe Hiley Early Be	J. Le: Ma Ni; Or	ath Cl H. Ha mon F crigold agara iole diance	lle R Tree S S I South	oberta osebud alway hipley Late Red Haven tump
	PEAR	S			
		I	Each	Per 10	Per 100
2 year old stand			50	4 50	42.50
No. 1 grade 11/2 Med. grade 9/16				4.50 4.00	30.00
		_		2.75	25.00
No. 2 grade 7/16	No.	_	30	2.13	20.00
1 year old standa 3 to 4 ft. whips.			.25	2.25	20.00
2 to 3 ft. whips.			.20	1.75	15.00
_	Varietie				
Bartlett Flemish Beauty	Buerre Bosc Clapp's Favorit Seckel (1 yr. o	e nlv)	Bue Kei	erre D'Ai ffer	n jou
	PLUM				
1 and 2 year on	Myrobolan	I	Each	Per 10	Per 100
11/16 in. and up	-				35.00
9/16 to 11/16 in.	and up $4\frac{1}{2}$ to	6 ft.	.35	3.25	30.00
7/16 to 9/16 in.	3 ft. and up		.30	2.50	20.00
5/16 to 7/16 in.	2½ to 3 ft		12.	2.00.	15.00
Abundance	Varieties of 2 y Burbank	ear Plı		kson	
Abundance Bradshaw Burbank	Varieties of 1 y Fellenberg French Prune German Prune Moore's Arctic	ear Plu	$_{ m Wic}$	opshire I kson low Egg	Damson
Sm	all Fru	its,	E	tc.	
A	SPARAGUS,	Rust	Proof		
	,		Per 10	Per 100	Per
Mary Washingto	on 2 yr. No. 1.		_		1000 6.00
Mary Washingto					

BLACKBERRIES

3.00

3.00

25.00

25.00

GRAP	ES	70	70	D
		Per		
	Each			1000
Caco 2 yr. No. 1, light red	.42	3.50		••••••
Campbell's Early 2 yr. No. 1				
black	.18	1.50	12.00	100.00
Concord 2 yr. No. 1, black	.12	1.00	8.00	70.00
Concord 2 yr. No. 2, black	.09			60.00
Moore's Early 2 yr. No. 1,	•••	•••	****	
black	.18	1.50	10.00	80.00
Moore's Early 2 yr. No. 2,	•10	1.00	10.00	00.00
11 1	.12	1 00	8.00	70.00
Niagara 2 yr.No. 1, white	.12			80.00
Niagara 2 yr.No. 1, white				70.00
Niagara 2 yr. No. 2, white	.12	1.00	8.00	10.00
Worden 2 yr. No. 1, blue-	10	1 20	1000	00.00
black	.18	1.50	10.00	80.00
RASPBEI	RIES			
Cumberland No. 1 tips		.30	2.00	16.00
Cumberland No. 1 transplan			3.00	25.00
Latham No. 1, well rooted,		• • •	9.00	20.00
transplanted		.45	4.00	30.00
		.40	4.00	90.00
St. Regis No. 1 well rooted,		9 ~	0 50	90.00
transplanted	••••••	.35	2.50	20.00
RHUBA	RB			
Myatts Linneaus, 2 ond 3	vear			
divided plants			3.50	25.00
arriada pianta	• • • • • • • • • • • • • • • • • • • •	• • •	0.00	20.00

Lining Out Stock

We offer for Spring 1936 the following list of Lining Out Stock consisting of plants which have had only the very finest attention and propagating conditions.

Prices on Lining Out Stock strictly as noted.

Evergreens

ROOTED CUTTINGS for delivery as soon as weather permits in early Spring 1936. Strong, well-established plants from 2½ inch pots. Rooted Summer of 1935.

1939.	Per	Per
CHAMAECYPARIS (Retinospora)	25	100
C. plumosa (Plume R.)		10.00
C. plumosa aurea (Goldenplume R.)	3.00	10.00
JUNIPERUS (Juniper)		
J. chin. pfitzeriana, (Pfitzer J.)	4.00	12.00
J. com. depressa plumosa (Andorra;	0.00	40.00
Purple Spreading J.)	3.00	10.00
J. com. hibernica (Irish J.)	3.00	10.00
J. excelsa stricta (Spiny Greek J.)	4.00	12.00
J. sabina (Savin J.)	4.00	12.00
TAXUS (Yew)	c oo	10 00
T. cuspidata (Spreading Japanese Y.)	0.00	18.00
T. cusp. capitata (Upright Japanese Y.)	6.00	18.00
T. baccata (English Y.)	6.00	18.00
1. 240000 (21181121)		

WESTMINSTER, MARYLAND		61
	Per 25	Per 100
T. brevifolia (Pacific Y.)		18.00
T. brevifolia nana (Dwarf Pacific Y.)	6.00	18.00
T. media hicksi (Hicks Y.)	6.00	18.00
T. baccata repandens (Spreading English Y.)	6.00	18.00
THUJA (Arborvitae) (All occidentalis va-		
rieties.) T. globosa (Globe A.) T. Little Gem (Fine for the rockery)	3.00 4.00	10.00 12.00
T. lutea (George Peabody A.)	3.00 3.00	10.00 10.00
SEEDLINGS (Sdlgs.) and TRANSPLA These are fine sturdy seedlings and tran- delivery whenever the weather permits.	NTS Isplan	(TP.) ts for
PICEA (Spruce) P. canadensis (alba) (White S.)		
3 yr. Sdlgs., 8 to 10 in	2.25	7.50
3 yr. Sdlgs., 6 to 8 in. TP 3 yr. Sdlgs., 8 to 10 in TP	2.25	7.50 10.00
	9.00	10.00
P. excelsa (Norway S.) 3 yr. Sdlgs., 6 to 8 in	1.15	4.00
3 yr. Sdlgs., 8 to 10 in 3 yr. Sdlgs., 10 to 12 in. TP	1.75	6.00
	3.00	10.00
P. pungens glauca (Blue Colorado S.)	1 50	5.00
3 yr. Sdlgs., 4 to 6 in	$\hat{2.25}$	7.50
4 yr. Sdlgs., 6 to 8 in. TP	3.00	10.00
PSEUDOTSUGA douglasi (Douglas Fir)	1.00	£ 00
3 yr. Sdlgs., 8 to 12 in	2.25	6.00 7.50
3 yr. Sdlgs., 8 to 10 in. TP	3.00	10.00
THUJA occidentalis (American Arborvitae		
3 yr. Sdlgs., 8 to 10 in		4.00 6.00
• 0 ,		
GRAFTS for delivery from April 15th to Strong, well-established plants from 2½ inc		
JUNIPERUS (Juniper)	•	
J. chinensis columnaris (Columnar Chinese J.)	7.00	22.50
J. communis oblonga		22.50
J. horizontalis (Creeping J.)		22.50
J. horizontalis glauca (Blue Creeping J.)		22.50
J. sabina tamariscifolia (Tamarix Savin J.)		22.50
J. virginiana burki (Burk's Redcedar)		22.50
J. virginiana cannarti (Cannart Redcedar)		22.50
J. virginiana glauca (Silver Redcedar)		22.50
J. virginiana keteleeri (Keteleer		1
Redcedar)		22.50
J. virginiana schotti (Schott Redcedar)	7.00	22.50

Lining Out Evergreen Shrubs

ROOTED CUTTINGS for delivery as soo er permits in early Spring 1936. Strontablished plants from 2½ inch pots. Rooted 1935.	ng, w Sum Per	rell-es-
ABELIA grandiflora (Glossy Abelia; Bush Arbutus)		
AZALEAS Coral Bells, Flame, Maxwelli	3.00	10.00
Hinodegri	2.15	7.50
BERBERIS (Barberry) B. julianae (Wintergreen B.)	3.00	10.00
B. verruculosa (Warty B.)		10.00
COTONEASTER horizontalis (Rock C.)		7.00
ILEX crenata microphylla (Littleleaf Japanese Holly)	2.50	8.00
LIGUSTRUM lucidum (Glossy Evergreen Privet)	2.50	8.00
MAHONIA aquifolium (Oregon Hollygrape) 1 yr Sdlgs., 4 to 6 in. only, not from pots	1.90	6.00
PYRACANTHA coccinea lalandi (Laland Firethorn)	2.50	8.00

Buxus (Boxwood)

B. suffruticosa (Truedwarf or	Per	Per	${f Per}$	
English Boxwood)	25	100	1000	
4 to 5 in. rooted cuttings		4.00	35.00	
4 to 5 in. from $2\frac{1}{4}$ in. pots	1.50	5.00	45.00	
5 to 6 in. from beds	1.90	6.00	50.00	
6 to 7 in. from beds	4.00	12.00	100.00	
(See also page 11)				
B. sempervirens (Bush Box)				
4 to 5 in. rooted cuttings	1.00	3.00	25.00	
4 to 5 in. from $2\frac{1}{4}$ in. pots		4.50	40.00	

Lining Out Deciduous Trees

SEEDLINGS for delivery as soon as weather permits in early Spring 1936. Strong, well-rooted little plants.

in early opining root. Strong, were rooted	110010	Premios
	\mathbf{Per}	\mathbf{Per}
BETULA alba (European White Birch)	25	100
2 yr., 12 to 15 in	1.90	6.00

Per 25 100 CRATAEGUS oxyacantha (English Hawthorn) 1 yr. 12 to 15 in
1 yr. 12 to 15 in
2 yr., 18 to 24 in
1 yr., A to 6 in
U. americana (American E.) 2 yr., 8 to 12 in
2 yr., 8 to 12 in
2 yr., 12 to 15 in
Lining Out Deciduous
Shrubs
ROOTED CUTTINGS for delivery as soon as weath er permits in early Spring 1936. Strong, Well-established plants from 2½ inch pots. Rooted Summer of 1935.
ACANTHOPANAX pentaphyllum (Five-leaf Aralia)
ALTHEA anemonaeflorus (Double purple) .85 2.5
BERBERIS thunbergi atropurpurea (Redleaf Barberry)
CALLICARPA purpurea (Chinese Beautyberry)
CEPHALANTHUS occidentalis (Buttonbush)
FORSYTHIA intermedia spectabilis and suspensa
HYDRANGEA paniculata grandiflora (Peegee H.) 1.00 3.5
HYPERICUM henryi and moserianum 1.50 5.0
JASMINUM nudiflorum (Winter Jasmine) 1.90 6.0
KOLKWITZIA amabilis (Beautybush) 1.15 4.0
LIGUSTRUM ibota regelianum (Regel Privet)
PHILADELPHUS coronarius (Sweet Mockorange)
SPIREA Anthony Waterer, arguta and thunbergi
STEPHANANDRA flexuosa (Cutleaf S.)85 2.5
SYRINGA vulgaris (Common Purple Lilac)

WYDYYD YWY Y	Per 25	Per 100
VIBURNUM opulus (European Cranberrybush)	1.00	3.50
VIBURNUM opulus sterile		
(Common Snowball).	1.00	3.50
WEIGELA Eva Rathke (Redflowered W.).	1.00	3.50
WEIGELA rosea (Pink W.)	85	2.50
SEEDLINGS for delivery as soon as weat in early Spring 1936. Strong, well-rooted p		rmits
COLUTEA arborescens (Bladder-senna)		
2 yr., 18 to 24 in.	1.90	6.00
CORONILLA emerus (Scorpion-senna) 2 yr., 18 to 24 in	1.90	6.00
MERATIA praecox (Calycanthus praecox; Wintersweet)	100	
2 yr., 6 to 8 in 2 yr., 8 to 10 in	.85 1.15	2.50 4.00
PHOTINIA villosa (Christmasberry)		
2 yr., 18 to 24 in 2 yr., 2 to 3 ft		3.50 5.00
VITEX negundo incisa (Cutleaf Chaste-tree	e)	
2 yr., 10 to 12 in	.85	2.50 4.00

Lining Out Vines

ROOTED CUTTINGS for delivery as soon as weather permits in early Spring 1936. Strong, well-established plants from 2¼ inch pots. Rooted Summer of 1935.

lished plants from 2¼ inch pots. Rooted 1935.	Summer	of
HEDERA (Ivy) H. coriacea (Korean Ivy)	. 2.00	7.00
H. helix baltica (Hardy Baltic Ivy)	. 2.00	7.00
H. helix gracilis (Small-leaf English Ivy)	. 1.50	5.00
LONICERA sempervirens (Trumpet Honeysuckle).	1.00	3.50

LINING OUT STOCK is in good demand this year and for that reason we ask that you kindly let us book your orders as soon as possible so that we can reserve the stock subject to your shipping instructions.

Index of Common Names

Page	Page
Abelia9	Judas Tree 14 Juniper 4, 5, 6, 60, 61
Akebia 29 Alder 13	Kentucky Coffeetree 15
Althea 18 Ampelopsis 29	L Larch 16
Andromeda 12	Leucothoe 12
Apple 58 Apricot 58	Lilac
Aralia	Magnolia 16
Arrowwood 27	Maple 12, 13
Ash	Mockorange
Azaleas9, 10, 19, 62	Mulberry
B Barberry10, 19, 62	N
Beautyberry 20 Beautybush 23	Nannyberry 27 Ninebark 24
Birch	Oak 17
Bittersweet 30 Blackberry 59	Olive, Russian 21
Bladder-senna 20, 64 Blue Spirea 20	Peach 59
Boston Ivy 30	Peach, Flowering 14 Pear 59
Boxwood	Pearlbush 22
Buckeye 13 Buckthorn 25	Periwinkle
Burningbush 11, 22	Planetree
Bushclover 23 Butterflybush 20	Plum, Flowering 17
Buttonbush 20	Porcelain Ampelopsis 29
Catalpa 14	Privet12, 23, 62, 63 Purple Fringe25
Chaste-tree	Pyracantha 12, 62
Cherry, Flowering 17	Quince, Japanese Flower-
Christmasberry 16	ing
Cinquefoil 24, 25 Clematis 30	Raspberry 60 Raspberry, Flowering 25
Coffeetree 15 Coralberry 26	Redbud 14
Cotoneaster 11, 62	Retinospora
Crab, Flowering 16 Cranberrybush 27	Rhubarb
Cypress 3	Rose-acacia
Daphne 11	Roses
Deutzia	Sassafras
E	Scorpion-senna 20, 64
Elder 25 Elm 18	Smoketree 25 Snowball 27
Euonymus11, 21, 22	Snowberry
Filbert	Spirea
Forsythia 22	Spruce 6, 61
Fringetree, White 20	Spurge 12 Sumac 25
Gloryvine	Sweetgum 16 Sweetshrub 20
Goldenrain-tree 15	Sycamore 16
H	Tamarix 27
Hackberry 14 Hawthorn 15, 63	Trumpetcreeper 30 Tuliptree 16
Hemlock 9 Holly 11, 62	Umbrella Tree 14
Hollygrape 12, 62	∇
Honeysuckle12, 24, 30, 64	Viburnum
Horsechestnut 13 Hydrangea22, 23, 63	W Walnut 18
I	Waxinyrtle 24
Indigobush	Wayfaring-tree 27 Weigela 27, 64
Japanese Creeper 30	Willow 17 Wintercreeper 11
Japanese Holly 11, 62	Wisteria 30
Jasmine 30, 63	Y
Jetbead	Yellowwood 14

WHOLESALE PRICE LIST

SPRING 1936

